



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100

AB Inflatables Profile F14

Boat Type: Inflatable



OVERVIEW

The heavy duty “F-Series” professional fiberglass RIBs have an open design that allows for easy customization. Our wide variety of seats and consoles allow the professional to design the boat to fit their needs instead of having to compromise on a set design. Our deep V forward hull design provides for superior stability and a drier ride. The reinforced commercial grade fiberglass hulls with the 1670 D-tex CSM Fabric make them an excellent choice for the discerning professional.

- Overall Length: 14' / 4,27m
- Overall Beam: 6'4" / 1,94m
- Inside Length: 10'10" / 3,3m
- Inside Beam: 3'1" / 0,94m
- Tube Diameter: 19" / 0,48m
- Person Capacity: 8
- Weight: 403 lbs / 183 kg *
- Recommended HP: 40hp / 29.8kw
- Maximum HP: 50hp / 37.3kw

- Shaft Length: 20" / 50,8 cm
- RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Profile F14	Hull Material:	Fiberglass
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	14.00 ft	Draft - max:	-
LOA:	14 ft - 4.27 meter	Bridge Clearance:	-
Beam:	6 ft 4 in - 1.93 meter	Dry Weight:	403 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Professional Grade Hand Laid Fiberglass Deep "V" Hull
 Fiberglass Stringer System Laminated into Hull
 Bow Locker / Seat
 Diamond Shape Non Skid Deck
 Plastic External Transom Plate
 Aluminum Internal Transom Plate
 Orca (CSM) 1670 D-tex Five Layer Coated Professional Use Fabric
 4 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
 Pressure Relief Valves
 Raised Double Solid Rub Rail
 Stainless Steel Bow Eye

4 Stainless Steel Davit Lifting Points
Stainless Steel Tow Ring & Tie Downs
Deck Condensation Plug
Deck Drain with Plug
1 Front & 4 Side Orca (CSM) Heavy Duty Fabric Handles on Tubes
4 Layer Reinforced Seams
Paddles with Aluminum Shaft
Paddle Holders
Removable Stern Seat
Hand Pump
Maintenance Kit
Owner's Manual
Additional Air Retaining Chamber Under the Floor
Non-Skid (CSM) Coated Fabric On Tube Surface
Lifeline Around Tube
Rubber Protector on Full Length of Keel

Optional Equipment

Boat Cover
Chock Set
Bow Step with Fold Down Stainless Steel Cleat
Bow Step with Fold Down Stainless Steel Cleat & Running Lights
Lateral Fold Down Stainless Steel Cleat
Fiberglass Console
Fiberglass Console with Forward Seat
Two Person Jockey Console
Customized Aluminum Consoles, Jockey Consoles and Jockey Seats
Light Arch
360 White Light Navigation Pole
Mechanical or Hydraulic Steering System
Stainless Steel Steering Wheel
Automatic Bilge Pump 500 GPH
Battery Charger
Closed Cell Foam Upholstery

Attachment

- [CAD Drawing](#)
- [Accessories & Part Numbers](#)
- [Chock & Davit Information](#)

GALLERY



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100