



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100

# AB Inflatables Profile F15

Boat Type: Inflatable



## OVERVIEW

The heavy duty “F-Series” professional fiberglass RIBs have an open design that allows for easy customization. Our wide variety of seats and consoles allow the professional to design the boat to fit their needs instead of having to compromise on a set design. Our deep V forward hull design provides for superior stability and a drier ride. The reinforced commercial grade fiberglass hulls with the 1670 D-tex CSM Fabric make them an excellent choice for the discerning professional.

- Overall Length: 15' / 4,57m
- Overall Beam: 6'6" / 1,99m
- Inside Length: 11'6" / 3,5m
- Inside Beam: 3'2" / 0,97m
- Tube Diameter: 19" / 0,48m
- Person Capacity: 9
- Weight: 484 lbs / 220 kg \*
- Recommended HP: 60hp / 44.8kw
- Maximum HP: 75hp / 56kw

- Shaft Length: 20" / 50,8cm
- RDC Design Category: C

## SPECIFICATIONS

### Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Profile F15	Hull Material:	Fiberglass
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

### Dimensions & Weight

Length:	15.00 ft	Draft - max:	-
LOA:	15 ft - 4.57 meter	Bridge Clearance:	-
Beam:	6 ft 6 in - 1.98 meter	Dry Weight:	484 ft
Deadrise Aft:	-		

### Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

### Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

## FEATURES

### Standard Equipment

Professional Grade Hand Laid Fiberglass Deep "V" Hull  
 Fiberglass Stringer System Laminated into Hull  
 Bow Locker / Seat  
 Non-Skid Rubber Floor Panels  
 Plastic External Transom Plate  
 Aluminum Internal Transom Plate  
 Orca (CSM) 1670 D-tex Five Layer Coated Professional Use Fabric  
 4 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves  
 Pressure Relief Valves  
 Raised Double Solid Rub Rail  
 Stainless Steel Bow Eye

4 Stainless Steel Davit Lifting Points  
Stainless Steel Tow Ring & Tie Downs  
Deck Condensation Plug  
Deck Drain with Plug  
1 Front & 4 Side Orca (CSM) Heavy Duty Fabric Handles on Tubes  
4 Layer Reinforced Seams  
Paddles with Aluminum Shaft  
Paddle Holders  
Hand Pump  
Maintenance Kit  
Owner's Manual  
Additional Air Retaining Chamber Under the Floor  
Non-Skid (CSM) Coated Fabric On Tube Surface  
Lifeline Around Tube  
Rubber Protector on Full Length of Keel

### **Optional Equipment**

Boat Cover  
Chock Set  
Bow Step with Fold Down Stainless Steel Cleat  
Bow Step with Fold Down Stainless Steel Cleat & Running Lights  
Lateral Fold Down Stainless Steel Cleat  
Fiberglass Console  
Fiberglass Console with Forward Seat  
Bench Seat with Storage  
Single Person Jockey Console  
Two Person Jockey Console  
Customized Aluminum Consoles, Jockey Consoles and Jockey Seats  
Light Arch  
360 White Light Navigation Pole  
Mechanical or Hydraulic Steering System  
Stainless Steel Steering Wheel  
Automatic Bilge Pump 500 GPH  
Battery Charger  
Integrated Marine Grade Aluminum Fuel Tank  
Closed Cell Foam Upholstery  
3 Inch Drain Scuppers

### **Attachment**

- [CAD Drawing](#)
- [Accessories & Part Numbers](#)
- [Chock & Davit Information](#)

GALLERY



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100