GSPS Marine

3807 Gulf Shores Parkway, Gulf Shores, AL, 36542

Phone: 251-948-6748

Tiara Yachts 39 Open

Boat Type: Motor Yacht



OVERVIEW

Escape for the day or even a weekend and experience the spacious luxury that the 39 Tiara offers. Ample seating, durable fabrics and available state-of-the-art electronics are just some of the features onboard. Option yours for cruising or fishing, and enjoy one carefree day on the water after another.

The 39 Tiara is a serious performer. Sophisticated new designs delivering the style that every Tiara is built on; an unmatched heritage of American Made quality, strength and seakeeping designed to bring you safely home again.

SPECIFICATIONS

Basic Information

Manufacturer: Tiara Yachts Boat Type: Motor

Yacht

Model: 39 Open Hull Material:

Year: 2019 Hull Type:

Category: Power

Dimensions & Weight

Length: 39.00 ft Draft - max: 3 ft 6 in - 1.07 meter

LOA: 41 ft 11 in - 12.78 meter Bridge Clearance: 10 ft 4 in - 3.15 meter

Beam: 15 ft - 4.57 meter Dry Weight: 24500 ft

Deadrise Aft: 18.00 °

Tank Capacities

Fuel Tank: 535 gallons - 1 tank(s) Holding Tank: 38 gallons - 1 tank(s)

Fresh Water Tank: 120 gallons - 1 tank(s)

Accommodations

Total Cabins: - Crew Cabins: -

Total Berths: - Crew Berths: -

Total Sleeps: - Crew Sleeps: -

Total Heads: - Crew Heads: -

Captains Cabin: No

FEATURES

STANDARD FEATURES

HULL, DECK AND UPPER COCKPIT

Tiara Yachts' transferable limited warranties: five years on hull, deck and fiberglass fuel tank; two years on accessories. Exclusions apply - refer to 2018 warranty statement for specific details and coverage areas.

Fresh white gelcoat hull and deck

Axalta® bootline (Carbon is standard)

Anti-fouling bottom paint, two coats

Hull constructed w/ a gelcoat outer layer, balsa cored hullsides, and hand-laid fiber glass using premium resin.

Deck constructed w/ a gelcoat outer layer, balsa coring, and hand-laid fiberglass using premium resin

Tiara custom diamond pattern non-skid deck and cockpit surfaces

Wood and foam core stringers, encapsulated by hand-laid fiberglass, are integrated to the hull

Gelcoated bilge

Bronze seacocks on all underwater thru-hull fittings

Molded-in hullside ventilation with filters

Bennett Marine® 12V hydraulic recessed trim tabs

Two (2) Lewmar® deck hatches with adjusters, built-in Ocean Air® screens and privacy covers

One (1) flush acrylic deck skylight

Molded-in fiberglass bow pulpit with S.S. roller

One-piece welded, 316L S.S. 1" bow rail with pulpit, staff, and Tiara burgee

Flush forward anchor rode locker with overboard drain

Automatic rope/chain anchor windlass system with operation from foredeck foot pedal and remote switch at helm. Includes one (1) 10" S.S. foredeck cleat, 40' chain rode, 200' rope rode, and Delta® 35 lb. galvanized anchor.

White rubrail with 316L S.S. cap

Six (6) S.S. cleats for lines - three (3) 10" cleats and three (3) 12" cleats

Hardtop with side enclosures and Lewmar® skylight with opening hatch.

Tiara custom composite windshield frame with 1/4" tempered safety glass, handrails on side wings, and a windshield wiper system with two (2) washer/wipers

Tiara hinged helm console with full flush mount electronics capability, drink holder, and 18" S.S. destroyer tilt steering wheel.

Manually adjustable helm seat. Includes wet bar with storage (aft of helm seat) and prep center with storage locker (aft of wet bar).

Centerline entry to salon with acrylic sliding companionway door, lock, screen door, and privacy cover

Fiberglass companion door shroud with molded-in glove box and drink holders

Port curved companion lounge

Port aft-facing seat with storage

Fusion® UD750 multi-zone stereo with cockpit remote, JL Audio® M700 digital amplifier, two (2) JL Audio® 6.5" interior speakers, two (2) JL Audio® 6.5" exterior speakers, two (2) JL Audio® 7.7" exterior component speakers, one (1) Polk Audio®8" subwoofer speak, and USB combo port

TV jack/outlet

120V GFI outlet

12V accessory outlet

Drop-down engine room access hatch from the upper cockpit

LOWER COCKPIT

Molded-in steps to deck walkways, port and starboard

Fiberglass covering boards

Cockpit coaming bolsters

One (1) chrome bronze corner hawse pipe, starboard

Cockpit LED courtesy lighting with remote control

Cockpit shower, hot and cold water

Raw water washdown outlet with 25 ft. coiled yellow hose

Self-draining cockpit with centerline scupper drain

One (1) insulated flush floor storage box, starboard side, with gas assisted split hatch

Aft lazarette hatch

Molded-in transom door and gate

INTERIOR GROUP

Mold and mildew resistant vinyl hull and headliner treatment

Architectural teak interior wood

Chilewich® wall covering

Amtico® Dark Walnut floor

120V outlets throughout

12V lighting

SALON

Teak companionway entry steps with hinged storage compartment below

Soundbar with subwoofer, BluRay Wi-Fi DVD player, and game port L-shaped lounge/dinette seating to starboard with storage below and high-gloss table; seats 5-6. Converts to double lower berth and single upper Pullman berth. Includes ottoman.

Upper hullside storage lockers

29" LCD TV with HDMI port

Marine Air Systems® 16,000 BTU air conditioner with reverse cycle heat, controls in aft starboard bulkhead

GALLEY

Corian® countertop

Stainless steel undermount sink with Corian® cover and hot/cold water faucet

Under counter storage and aft galley pantry

Upper dish lockers

Two (2) utensil drawers

Two-burner electric cooktop with Corian® cover and safety shut-off switch

Microwave oven

Vitrifrigo® drawer style refrigerator and freezer

Exhaust fan

MASTER STATEROOM

Privacy curtain separating master stateroom from salon

Manually actuated queen pedestal berth with innerspring mattress, coverlet, two (2) box pillows, and six (6) throw pillows

Storage compartment under berth

Cedar-backed hanging locker, starboard

Upper hullside storage cabinets, port and starboard

HEAD

Full frame door with entry from the salon

Full fiberglass head with bi-fold shower door and stall shower with sump pump/drain

Corian® vanity countertop with S.S. sink

Mirrored vanity above sink

Lower vanity storage

Vacuflush® toilet

Exhaust fan

Air conditioning vent

INSTRUMENTATION, EQUIPMENT AND SAFETY

Tiara custom 12V DC and 120V AC electrical system with the master distribution panel located on the aft dinette bulkhead

One (1) 240V 50 amp 65' dockside power cord and adapter for 30 amp service

Cable TV inlet/outlets with 65' dockside power cord

TV and AM/FM antennas

Onan® 9.0kw generator with sound shield

Battery charger (1), 60 amp

12V two bank battery system with batteries and battery switches (two (2) engine batteries and three (3) house batteries)

Battery parallel system

Electrical bonding system

Reverse polarity indicator

Zincs - transom, trim tabs and shafts

Single lever electronic controls

Hydraulic steering system

Bronze axe head rudders and struts

Aquamet® S.S. prop shafts, 2 1/4"

Water cooled shaft logs with PSS® dripless shaft seal

Two (2) Nibral® propellers

SmartCraft™ VesselView™ single display for monitoring engine systems

Ritchie® SuperSport SS-2000 compass

High output alternators: 160 amps each

Electric engine hatch actuators

Engine room insulation

12V engine room lights

Two (2) Racor® fuel filters with water separators

Two (2) raw water intake strainers

Vibration mounts for engines

Plate mounted, thru-bolted engine system

Three (3) automatic/manual bilge pumps with monitors at the helm, 2000 GPH each: One (1) forward, one (1) mid, and one (1) aft

Two (2) fuel tanks, total capacity 535 gallons (forward tank 255 gallons and aft tank 280 gallons), with in-line fuel shut-off valves on top of tanks

Dockside water inlet

One (1) fresh water tank, 120 gallons

Fresh water pressure system with Shurflo® variable speed pump, five (5) GPM

One (1) holding tank, 38 gallons

One (1) water heater with exchanger, 11 gallons

Dual trumpet air horn

FE-241 agent automatic/manual fire extinguisher system in engine room (HFC-227ea agent for Europe)

Three (3) hand-held fire extinguishers (2 interior, 1 exterior)

Two (2) carbon monoxide detectors

Two (2) smoke detectors

Six (6) 5/8" x 30' black dock lines

Eight (8) Tiara life vests (domestic boats only)

USCG safety and medical kit

USCG/international LED navigation lighting

NMMA certified using ABYC standards

International certification options available (European CE and others)

GALLERY



































GSPS Marine 3807 Gulf Shores Parkway, Gulf Shores, AL, 36542 Phone: 251-948-6748