Randy Cowley Yacht Consultants 4706 West Ruffner Street Seattle, WA 98199 Phone: 206-605-5473

Duffield 58 Flybridge

Boat Type: Flybridge



OVERVIEW

SPECIFICATIONS **Basic Information**

Manufacturer:	Duffield	Boat Type:	Flybridge
Model:	58 Flybridge	Hull Material:	
Year:	2018	Hull Type:	
Category:	Power		

Dimensions & Weight

Length:	58.00 ft	Draft - max:	4 ft 3 in - 1.3 meter
LOA:	61 ft 3 in - 18.67 meter	Bridge Clearance:	-
Beam:	16 ft - 4.88 meter	Dry Weight:	53000 ft
Deadrise Aft:	-		

×

Tank Capacities

Fuel Tank:	950 gallons - 1 tank(s)	Holding Tank:	115 gallons - 1 tank(s)
Fresh Water Tank:	250 gallons - 2 tank(s)		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Mechanical

- Twin Volvo Penta IPS800 625 HP @3000 RPM
- Vulcan torsional flywheel coupling (with inboards) (option)
- 12KW Northern Lights generator (in sound shield) with gas/water separator and water lift muffler
- IsoBoost 50 power transformer
- Side Power 24V DC bow and stern thrusters (option)
- Fuel polishing system
- Polished stainless steel fuel polishing supply/return manifolds
- Bronze Groco thru hulls/strainers (LP painted white)
- Groco oil change system for main, generator, transmission
- Dometic AC/DC blowers
- · Sound dampening insulation throughout
- Rule 2200 GPH bilge pump (24v)
- White LP finish in all bilges
- High water alarms in all compartment bilges
- LED lighting throughout
- 316 stainless steel rudder/rudder post
- 950 gallon 5052 marine grade aluminum fuel tank with sight gauge and low point drain
- Dual Racor 1000MAX (main)
- Racor 500MA (gen)
- Glendenning Cablemaster
- ZipWake dynamic trim tab system
- SeaFire suppression/monitoring system with engine, generator, and ventilation automatic shutdowns
- Potable water tanks (2)
- Black water tank 115 USG (1)
- Tank level monitoring system
- Headhunter AC fresh water pump
- 24v backup fresh water pump
- Watertight door through engine room compartment bulkhead
- 110v outlets throughout
- Kahlenberg horn compressor
- · Soft vinyl diamond plate on all bilge covering boards
- Fuel shutoff valves

• Trident marine fuel lines

Electrical

- Northern Lights 12KW generator with sound shield
- IsoBoost 50 isolation boosting power transformer
- 800Ah wet cell house battery bank
- 5000va 120 amp inverter/charger
- Battery bank monitoring system
- LED lighting throughout
- Tinned copper marine grade wiring throughout
- AC/DC distribution panel in pilothouse (hinged for access)
- All wiring neatly run and clearly labeled
- 24v Victron charger for main/gen start batteries
- 110v outlets throughout
- Blue Seas Systems breakers throughout

Plumbing

- Tecma marine toilets (2)
- SeaLand overboard discharge pumps
- 220v Dometic HVAC system
- Holding tank vent line filters
- 220 USG fresh water capacity
- Whale 22mm plumbing tube and fittings throughout
- Headhunter Mach 5 220v freshwater pump (24v backup)
- Groco seacocks/strainers (White LP painted)
- Isotherm water heater (20 gal)
- Yacht Mate freshwater system filter
- Salt water wash down pump w/ cockpit faucet (316 stainless steel)
- Groco water pressure storage tank

Hull

- Advanced prop pocket design
- Integral keel
- Hand laminated using vinylester resin
- Vacuum bagged Corcell foam core construction (hull, stringers, bulkheads)
- Knitted biaxial reinforced laminate
- 5 coats epoxy barrier bottom paint
- · LP painted bootstripe
- 6 tinted lexan port lights
- PVC rub rail with stainless cap

Deck

- FRP construction hand laminated with vacuumed bagged Corecell foam core
- CE approved port lights and hatches
- 1 ¼" polished stainless steel west coast style rails
- Electric opening center window at helm
- Aluminum door to pilot house (stb side)
- Fuel and water flush mounted deck fills
- Flush mounted black water suck out

- Painted Awlgrip nonskid (teak optional)
- 316 Stainless steel deck drains

Cockpit

- · Safety rail with teak cap
- Two opening transom doors with Sea Dog latch and custom SS hinges
- LED overhead lights (4)
- Nonskid on deck (teak optional)
- Bennett electric lift engine room hatch
- Engine room access hatches (2) with SS gas shocks
- · Integrated swim step with SS telescoping ladder
- Storage locker on swim step
- Stainless steel flush mount pop up cleats (2)
- Stainless steel ladder to FB with teak steps
- Hot/Cold Scandvik shower in transom
- Sliding door to salon opposite opening window (gas shock assisted)
- Glendinning Cablemaster 24v shore power cable reel
- Glendinning 24v hosemaster fresh water hose reel with 75' hose
- Salt water wash down faucet in cockpit
- · Heavy duty gaskets on all hatches
- Plumbed drains on all hatches
- Stereo speakers (2) (extra 2 overhead optional)
- 10" 316 stainless steel cleats (2)
- ABYC approved LP tank storage locker on swim step (optional)
- Stainless steel Man Ship hatch atop ladder to flybridge
- Port and starboard storage lockers outboard
- FRP mezzanine with storage compartment (removable)

Foredeck

- 24v windlass with controls at helm and wireless remote
- Anchor chain lockers with overboard drains
- Ultra 60# anchor with Ultra roller and swivel with 300' 5/8" chain
- Fresh water wash down faucet
- 12" 316 Stainless steel cleats
- Man Ship hatches over staterooms
- CE approved Stainless steel port lights

Salon

- Sliding entry door with window opposite
- Cherry wood with satin finish throughout
- LED overhead lighting
- Ultraleather headliner
- U-shaped settee with storage under seating
- Settee table with 24v raise/lower pedestal
- Fixed tempered glass side windows (2)
- Cherry wood valances with LED rope lighting
- CO detector
- Entertainment center with electric lift TV
- Bose Lifestyle 5.1 speaker system

- Cherry wood HVAC vents
- 110v outlets
- Marine grade carpet

Galley

- U-shaped galley
- Quartz countertops with cherry wood trim
- Stainless steel sink
- Kohler faucet
- Insinkerator garbage disposal
- Hot water circulating pump
- Isotherm drawer type refrigerator/freezer
- Electric cooktop
- Convection oven
- Drawer type dishwasher with cherry wood face
- Isotherm ice maker
- Storage drawers with self closing slides
- LED overhead lighting
- Sliding windows with screens (2)
- 110v outlets

Pilothouse

- U-shaped settee to port
- Table with polished stainless steel fixed base
- Cherry wood overhead storage cubby
- Cherry wood flybridge access ladder
- LeBroc helm seat with stainless steel pedestal
- FRP molded footrest
- Stainless steel/teak Edson steering wheel
- FRP electronics console at helm
- Cherry wood electronics console overhead
- Engine instrumentation display
- Trim tab, autopilot displays overhead
- Engine start/stop control panel
- High water alarm/bilge pump monitoring panel with alarms (audible and visual)
- Glendinning engine/thruster controls with joystick
- Seafire monitoring display
- Center electric opening window
- Cherry wood valances
- Overhead LED lights (white/red)
- Heavy duty Imtra marine wipers on FWD windows (self parking)
- Electrical panel to STB (hinged for access)
- Generator start/stop panel with gauges (hours, oil press, water temp)
- 110v outlets
- USB charging outlets
- Ritchie compass with light on cherry wood mount
- ACR spotlight control pad
- Water tight Pacific Coast aluminum door with tempered glass window to STB

Flybridge

- FRP construction hand laminated with vacuumed bagged Corecell foam core
- CE approved Man Ship stainless steel hatch in entryway from pilothouse
- Marine grade aluminum hard top arch
- Garmin 72nm open array 4' Phantom Radar
- Shakespeare Mariner 8900 VHF antennas (2)
- ACR spotlight
- LED floodlights (2)
- Garmin GPS antenna
- Garmin wind instruments
- Khalenberg D330 air horn
- Mast for wind instruments and anchor/steaming lights
- LED lighting in overhead (white/red)
- Integral electronics console at helm (Garmin 7616xsv display (1))
- USB/110V
- Garmin FusionLink stereo integration
- Fusion MS-UD750 marine stereo
- Stereo speakers (4)
- Edson stainless steel steering wheel
- Isotherm refrigerator
- Stainless steel electric grill with food prep counter
- Storage lockers underneath settee and grill
- Llebroc helm seat (2)
- Settee table with stainless steel base
- L-shaped settee to port
- Sunbrella soft goods (per owner's preference) mesh backed
- Glendinning engine/thruster controls with joystick
- 24VDC panel under helm
- Engine start/stop panel
- ACR spotlight control pad
- · Remote windlass controls with chain counter
- · High water/bilge pump monitoring panel with audible and visual alarms
- Engine instrumentation display
- ZipWake trim tab control display
- Garmin Autopilot control display
- Ritchie Globemaster 8" compass with stainless steel cover
- Stainless steel drink holders
- Painted on Awlgrip non skid
- Stainless steel grab rails
- Stainless steel safety rails surrounding boat deck
- · Lexan venturi with stainless steel frame

Boat Deck

- Safety rail with removable lifelines for tender removal/retrieval
- Teak flag pole
- Flag pole socket on aft end of safety rail
- Tender tie down hardware
- Rolled on Awlgrip non skid

Master Stateroom (FWD)

- Designer carpet
- Washer/dryer in passageway
- FRP vacuum bagged bulkheads and floors with Corecell foam core
- Cherry wood cabinets
- Designer wallpaper (per owner's preference)
- 110v outlets (2)
- USB charging outlets (2)
- Latex core 5" bonded foam mattress
- Tapered queen berth
- Cherry wood drawers under berth (4)
- Gas shock assisted storage locker under berth
- Cedar lined hanging lockers (2)
- Solid cherry wood entry door and frame
- Upholstered headboard with mirror above
- Izerwaren stainless steel door hardware
- Overhead dimmable LED lighting
- Reading lights over berth
- CE approved stainless steel opening port lights (2)
- Fixed port lights in hull (2)
- Stainless steel Man Ship hatch in overhead
- CO detector
- Air conditioning/heating control panel
- Lighting controls with dimmer
- Full height mirror
- 36" LED TV
- UltraLeather headliner

Master Head

- Quartz countertops
- Tecma marine head
- 3/8" safety glass shower doors and frame
- FRP shower with quartz seat and sole
- Scandvik shower mixer/head
- Porcelain sink
- Scandvik faucet
- · Cherry wood toiletry cabinet with mirrored face
- 110v outlet
- Stainless steel port light in shower
- Dimmable LED lighting
- Stainless steel Man Ship hatch in overhead
- Stainless steel towel racks
- Solid cherry wood door/frame
- VIP Stateroom
- Full size berth with storage compartment underneath
- Latex core 5" bonded foam mattress
- Designer wallpaper (per owner's preference)
- Cherry wood cabinets
- Cedar lined hanging locker
- Opaque windows in headliner to pilothouse (2)

- CE approved stainless steel port lights (2) with blinds
- Air Conditioning/heating control panel
- 110v outlets
- USB charging outlets
- Reading lamp
- Dimmable LED overhead lighting
- Full height mirror
- Izerwaren stainless steel hardware
- Upholstered headboard

Guest Stateroom

- Full size berth
- Latex core 5" bonded foam mattress
- Designer wallpaper (per owner's preference)
- Cherry wood cabinets
- Cedar lined hanging locker
- Full height mirror
- CE approved stainless steel port lights (2) with blinds
- Air Conditiong/Heating control panel
- 110v outlets
- USB charging outlets
- Reading lamps (2)
- LED overhead lighting
- Lighting control panel with dimmer
- 316 stainless steel hardware
- Solid cherry wood door/frame

Guest Head

- Temca Marine toilet
- FRP shower with quartz seat and sole
- Toiletry shelf in shower
- CE approved stainless steel port light
- CE approved stainless steel Man Ship hatch in overhead
- 3/8" safety glass shower doors
- Scandvik stainless steel shower mixer/head
- Dimmable LED overhead lighting
- Quartz countertop with porcelain sink
- Grohe faucet
- · Cherry wood cabinets with mirrored face
- · Solid cherry wood door/frame

GALLERY



×

Randy Cowley Yacht Consultants 4706 West Ruffner Street Seattle, WA 98199 Phone: 206-605-5473