



Annapolis Yacht Sales
7350 Edgewood Rd.
Annapolis, MD 21403
Phone: 410.267.8181

Beneteau Oceanis 55.1

Boat Type: Cruiser



OVERVIEW

The Oceanis 55.1 is a boat for big exciting projects and she is as appealing to the eye as she is easy to manoeuvre. This cruiser is a gentle step towards the world of large yachts.

The owner of the Oceanis 55.1 will enjoy great sensations and safe sailing on this balanced hull with a comfortable deck plan and a high standard of finish. She includes important innovations, such as the mainsail arch, mast position, balanced sail plan, 45° companionway, and electric swim platform, which all go to make this cruiser easy to handle. Equipped with the Incidence D4 Performance Pack, she is capable of performances second to none.

Pioneering, the Oceanis 55.1 has opted for an outstanding level of interior comfort. With lots of glazed openings, a fully glazed shower for the owner cabin in terms of interior design, she has a wonderfully serene atmosphere. Her galley is very well equipped and very spacious, her interior can be adapted to multiple layouts, and there is scope for personalizing her ambiance by choosing very different woodwork and linings to create a refined and welcoming atmosphere.

SPECIFICATIONS

Basic Information

Manufacturer:	Beneteau	Boat Type:	Cruiser
Model:	Oceanis 55.1	Hull Material:	
Year:	2020	Hull Type:	
Category:	Sail		

Dimensions & Weight

Length:	55.00 ft	Draft - max:	7 ft 7 in - 2.31 meter
LOA:	55 ft 1 in - 16.79 meter	Bridge Clearance:	-
Beam:	16 ft 3 in - 4.95 meter	Dry Weight:	37258 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	106 gallons - 1 tank(s)	Holding Tank:	-
Fresh Water Tank:	183 gallons - 1 tank(s)		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

STANDARD EQUIPMENT

CONSTRUCTION

- Design made following European Directive requirements and according to CE certification
- Vacuum infused hull (GRP / Sandwich balsa wood)
- Vacuum infused structural inner liner (Fabric - resin) bonded to the hull
- Injection molded deck in glass fiber/balsa sandwich, covered with "diamond-point" non-slip coating
- Infusion single-skin GRP injection inner deck molding
- Deck hull joint screwed, bonded and banded with 1 solid wood bulwark
- Cast iron keel fixed with bolts and stainless steel backing plates
- Hung rudder with stainless steel stock
- White hull - Grey metal hull decoration
- 8 Large hull ports

DECK EQUIPMENT

RIGGING

- Mast with in-mast furling 9/10th anodized aluminium, 2 sets of spreader bars

- Anodized aluminum boom
- Self-tacking jib hardware
- Discontinuous stainless steel standing rigging
- 2 Backstays with turnbuckles
- Rigid boom vang
- Self-clinching jib furler with drum on the deck
- 2 Stand Up blocks on mainsheet arch
- Rigging run back to cockpit (except boom topping lift)
- Complete running rigging: Main halyard, Self-clinching jib halyard with jammer on the mast and cleat, Boom topping lift with cleat on mast, Mainsheet, 1 Self-tacking jib sheet
- 7 Clutches
- 2 Lockers for rope tails near helm stations
- 2 Flag halyards

WINCHES

- 2 Self tailing coachroof winches (H46.2 STC)
- 2 Aluminium Speed Grip winch handles
- 2 Winch handle holders

HALYARDS

Completely hidden

- GRP halyard cover from mast foot to the back of the cockpit

SAILS

- Furling mainsail, Dacron
- Self-tacking jib, Dacron
- UV protective strip, Natural

MOORING - ANCHORING GEAR

- Self-bailing chain locker with clench eye
- 12 V - 1500 W vertical electric windlass - Remote control
- 8 Aluminum mooring cleats, Length: 400 mm / 1'4" - Stainless steel chafing plate

SAIL LOCKER

- Access through deck hatch T70, Passage width: 62 cm / 2'
- Stainless steel ladder
- Shelving unit
- Direct access to the anchor well, Panel: T44

SAFETY ON DECK

- 1 Open stainless steel pulpit
- 2 Stainless steel aft pushpits
- 1 Ring lifebuoy bracket
- 1 Outboard engine bracket
- Welded ring on pushpit for flag

- Double life lines and stainless steel stanchions, 750 mm / 2'6" - Side boarding gate on either side

COCKPIT

- Self-bailing cockpit
- 2 Cockpit locker, with stainless steel beading for fenders
- 2 Lockers in cockpit floor under helm's feet
- 1 Lifteraft locker under helm seat (0,95 m x 0,42 m x 0,59 m (Deep) / 3'1" x 1'5" x 1'11" (Deep))
- 1 Gas locker for bottle(s) in cockpit sole
- Natural solid wood slatted cockpit benches
- 2 Steering wheel consoles: Stainless steel steering wheels - 900 mm diameter - Leather covered - Steering gear at the helm station - Metal cable transmission system - Stainless steel cup holder
- 2 Deck access points to tiller system + Power supply access hatch
- 1 Emergency tiller
- 2 Steering compass
- Engine throttle and control panel on starboard
- Polyester cockpit table - 2 leaves - 2 side tables at the end of the table - Glove boxes - 1 Cooler - 1 Storage - 2 Large stainless steel handrails - 12 V Power outlet - Lamp with shade
- Cockpit shower hot/cold water
- 1 Fixed composite arch - Built-in lighting LED - 4 Handrails
- 1 shore supply socket to starboard
- 2 Sunbathing areas to either side of the companionway
- 2 Hinged PMMA companionway doors - Sliding hatch made of PMMA

SWIM PLATFORM / STERN DECK

- Fully opening transom, convertible into swim platform (2,85 m x 0,77 m / 9'4" x 2'6")
- Electrically operated
- Natural solid wood decking on swim platform
- 1 Stainless steel swimming ladder, Folding - Solid wood steps

INTERIOR

3 cabins 2 heads version - standard

- Woodwork Alpi Mahogany
- Parquet type laminated floors
- Padding upholstery in salon and cabins
- Interior upholstery, in fabrics
- Marine mattresses in the cabins

COMPANIONWAY

- Headroom: 1,97 m / 6'6"
- Wooden salon companionway with molded wood hanging steps with non-slip surface
- 2 Leather covered stainless steel handrails

SALON

- Headroom: 1,98 m / 6'6"
- to starboard: Salon bench seats, Removable backrest - Double density foam
- Salon table in 1 piece - Varnished wood top with inlay - 2 Aluminum legs

- to port: Large sofa (2 m / 6'7")
- Mirror on bulkhead, at base of companionway
- Cupboard units - Cubby hole lockers and storage along the hull - Storage under bench seats
- Shelving with chrome fiddles
- 2 Panoramic deck house windows with concertina blinds
- 2 Hull portholes with curtain
- 2 Opening portholes on coaming in side windows
- 2 Flush deck hatches with mosquito screen/blind, T44, in white opaque PMMA
- 2 Stainless steel handrails, on deckhead

CHART TABLE - STARBOARD

- Table with flap - Molded wood fiddle
- 1 Swivel seat
- Electrics panel on bulkhead
- Navigation instrument panel (without instruments)
- 1 Reading light, flexible and multi-directional
- 1 Overhead light

GALLEY - PORTSIDE

- Headroom: 1,95 m / 6'5"
- U-shaped galley
- Counter-top in Clay compact with Corian fiddles
- 1 Double stainless steel sink - 1 Mixer tap with hot/cold water under pressure
- 1 Gas stove 2 burners - Stainless steel oven on gimbal - 1 Storage, beneath the oven
- 1 12 V 100 L ice box, top opening
- 1 12 V 130 L refrigerator, front opening
- Fitted cupboards and closed cubbyholes (Shelving, Garbage bin)
- 1 Lower unit: 3 Drawers - 1 Storage
- Storage space along the hull
- 2 Opening ports on coaming with curtains on side windows
- 1 Opening deck hatch

FORWARD CABIN

- Headroom: 1,93 m / 6'4"
- Central double bed (2,10 m x 1,82 m x 1,14 m / 6'11" x 6' x 3'9") Island bed type, mounted on gas struts
- 2 Flexible and multi-directional reading lights at headboard
- Hanging lockers - Glove box - Shelving unit - Lower unit - Storage space under bed
- Mirror on bulkhead
- 2 Flush deck hatches with mosquito screen/blind
- 2 Hull portholes with curtain
- 2 Fixed windows to forward end of coachroof with built-in blinds

FORWARD HEAD

to starboard

- Headroom: 1,92 m / 6'3"
- 1 Pearl grey GRP basin built into the Corian Clay work surface, mixing tap hot/cold water. Storage space under the

basin, 2 Shelves

- 1 Washroom storage cabinet
- 1 Mirror
- 1 Separate shower, High storage, 1 Wooden seat. Shower base in pearl grey GRP. Grey laminated bulkhead
- 1 Deck hatch with mosquito screen/blind

to port

- Separate manual marine WC
- 1 Rigid holding tank 80L / 21 US Gal
- 1 Pearl grey GRP basin built into the Corian Clay work surface, mixing tap hot/cold water, with hose for use as shower
- Shower base in pearl grey GRP. Grey laminated bulkhead
- 1 Washroom storage cabinet, Mirror
- Toilet accessories
- Storage space along the hull
- 1 Deck hatch with mosquito screen/blind

STARBOARD AFT HEAD COMPARTMENT

- Headroom: 1,91 m / 6'3"
- Access through salon
- Separate shower - 1 mixing tap hot/cold water - Storage on bulkhead - Corian Clay counter-top with self-draining storage. Shower base in pearl grey GRP
- 1 Manual marine toilet
- 1 80 L / 21 US Gal Rigid holding tank
- Washbasin - 1 mixing tap hot/cold water
- 1 Washroom storage cabinet
- Storage space under the basin
- 2 Mirrors
- Toilet accessories
- 1 Opening portlight with curtains in the coachroof side window

STARBOARD AFT CABIN

- Headroom: 1,95 m / 6'5"
- 1 Double bed (2,03 m x 1,37 m x 1,70 m / 6'8" x 4'6" x 5'7")
- Cupboard units, Hanging locker, Closed cubbyholes, Storage each side of bed
- 1 Large size hull port with curtain
- 1 Opening deck hatch with mosquito screen/blind
- 1 Opening cockpit port with curtain
- 1 window onto cockpit - beneath the lounge

PORT AFT CABIN

- Headroom: 1,95 m / 6'5"
- 1 Double bed (2,03 m x 1,18 m x 1,50 m / 6'8" x 3'10" x 4'11")
- 1 Plenty of stowage space, Beam: 106 cm / 3'6". Upper part: 1/3 Hanging locker, 2/3 Shelves. Lower part: Large drawers
- Closed cubbyholes, stowage along the length of the berth
- Cupboard units, Hanging locker, Closed cubbyholes

- 1 Large size hull port with curtain
- 1 Opening deck hatch with mosquito screen/blind
- 1 Opening cockpit port with curtain
- 1 window onto cockpit - beneath the lounge

3 cabins 3 heads version

SALON

- Headroom: 1,98 m / 6'6"
- Length of port settee into galley extension: 1,42 m x 0,82 m / 4'8" x 2'8"
- Starboard salon identical to the standard version

PORT AFT CABIN

- Headroom: 1,95 m / 6'5"
- 1 Double bed (2,03 m x 1,18 m x 1,50 m / 6'8" x 3'10" x 4'11")
- 1 Hanging locker, Beam: 40 cm / 1'4"
- 1 Large size hull port with curtain
- 1 Opening deck hatch with mosquito screen/blind
- 1 Opening cockpit port with curtain
- 1 window onto cockpit - beneath the lounge

AFT PORT HEAD COMPARTMENT

- Headroom: 1,90 m / 6'3"
- Access through salon and port aft cabin
- Shower - Storage on bulkhead
- 1 Manual marine toilet
- Washbasin - 1 mixing tap hot/cold water
- 2 Mirrors
- Toilet accessories
- 1 Opening portlight with curtains in the coachroof side window

4 cabins 2 heads version

The starboard aft head compartment is replaced by a side cabin

STARBOARD SIDE CABIN

- Headroom: 1,91 m / 6'3"
- 2 Bunk beds: Top bunk (1,92 m x 0,77 m x 0,42 m / 6'4" x 2'6" x 1'5") - Bottom bunk (1,92 m x 0,69 m x 0,45 m / 6'4" x 2'3" x 1'6")
- Top bunk: raises up to allow more space
- Storage
- 1 Opening porthole with curtain

ENGINE

- Engine Yanmar Diesel: - 80 HP/80 HP, Sail Drive, Common Rail (standard) - 80 HP/80 HP, Common Rail, Dock & Go (Option) - 110 HP/110 HP, Propeller shaft, Common Rail (Option)
- Engine control - Control panel in cockpit starboard

- Engine compartment: Soundproofing foam - Ventilation: 2 air intakes and 1 forced air outlets
- 1 Alternator 12 V / 125 Amp (Dock & Go: 1 Alternator 12 V / 120 Amp)
- 2 Rotomolded diesel tank 200 L / 53 US Gal (under port aft berth and starboard) - Electronic gauge - Low level alarm - 2 Deck fillers
- Filters: Sea water - Diesel - Water separator
- Fixed three blade propeller
- 1 Engine access through companionway (opening with 2 gas pistons) - 2 Engine access through aft cabins

ELECTRICITY

- 12 V Circuit
- 4 Service batteries (140 Amp) - 1 Engine battery (110 Amp)
- 1 Load balancer
- 1 60 Ah Battery charger
- 12 V Electrical panel (Fuses - Voltmeter - Water gauge - Fuel gauge - Battery warning - Fuel warning - Water warning)
- 7 115 V Power outlets
- 2 12 V Power outlets
- Lighting: Overhead lights - Reading lights - Reading light, flexible and multi-directional
- Navigation lights: 1 Forward and aft navigation lights - 1 Steaming light - 1 Mooring light on masthead
- Wire runs for optional cables


PLUMBING

- 1 Rotomolded freshwater tank (324 L / 86 US Gal, Starboard salon) - 1 Rotomolded freshwater tank (330 L / 87 US Gal, Forward cabin) - 2 Deck fillers - Separate tank filling - Tank selection with "¼ turn" by-pass valves
- Waterpressure system - Expansion tank - Inline filter
- 40 L / 11 US Gal Electric water heater (engine use)
- 1 Rigid 80 L / 21 US Gal black water holding tank for each WC
- Delayed shower draining and electric shower drain pumps
- 1 Electric bilge pump - 1 Manual bilge pump
- 1 Electric pump for the ice box drain

GAS

- 1 Gas bottle box in the cockpit (diameter 0,34 m x 0,53 m / 1'1" x 1'9")
- Regulator and solenoid

GALLERY



Annapolis Yacht Sales
7350 Edgewood Rd.
Annapolis, MD 21403
Phone: 410.267.8181