



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100

# Beneteau Swift Trawler 44

Boat Type: Trawler



## OVERVIEW

The Swift Trawler 44 is the result of a joint collaboration by the Beneteau design office, the architect Michel Joubert and the designer Pierre Frutschi. Underway, her semi-displacement hull offers very enjoyable sensations at all speeds, as well as terrific stability as she breaks through the waves. She is timelessly elegant, combining classic style and great modernity.

Designed to increase the living space, the interior of the Swift Trawler 44 is full of light. Her fittings have a variety of functions and there are a large number of storage spaces. Her cabins look like rooms and in a few steps the convertible sofa turns the salon into a guest room. The ergonomic helm station and anti-glare windshield enhance safety underway. The Mahogany woodwork adds a classic yet contemporary touch, creating a warm atmosphere.

SPECIFICATIONS

Basic Information

Manufacturer:	Beneteau	Boat Type:	Trawler
Model:	Swift Trawler 44	Hull Material:	Fiberglass
Year:	2020	Hull Type:	
Category:	Power		

Dimensions & Weight

Length:	44.00 ft	Draft - max:	3 ft 5 in - 1.04 meter
LOA:	45 ft 6 in - 13.87 meter	Bridge Clearance:	-
Beam:	13 ft 11 in - 4.24 meter	Dry Weight:	23957 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	370 gallons - 1 tank(s)	Holding Tank:	32 gallons - 1 tank(s)
Fresh Water Tank:	169 gallons - 1 tank(s)		

Accommodations

Total Cabins:	2	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	2	Crew Heads:	-
Captains Cabin:	No		

FEATURES

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Composition:
- Sandwich (polyester resin - fiberglass / balsa core)
  - White gel coat
  - Structural hull counter molding in monolithic laminate (polyester resin - fiberglass)

- Profile:
- Semi-planning hull

DECK

- Composition:
- Sandwich (polyester resin - fiberglass / balsa core)
  - Structural counter molding in monolithic laminate (polyester resin - fiberglass)
  - White gel coat
  - Diamond tip type non-slip surface
  - Stainless steel guard sheer rail on hull

## **DECK EQUIPMENT**

- Teak toerails
- Gangway door to starboard

## **MOORING - ANCHORING GEAR**

- Stainless steel bow fitting
- Stainless steel anchor platform
- Bow stainless steel protection
- 1000 W Vertical electric windlass, upwards/downwards movement and remote control from windlass, wheelhouse and flybridge
- 6 Aluminum mooring cleats (L 400 mm / 15 -  $\frac{3}{4}$ " )
- Stainless steel gunwale guards
- 2 Stainless steel fairleads to aft of cockpit
- 2 Self-draining compartments with teak-slatted hatch covers

## **SAFETY ON DECK**

- Stainless steel pulpit, open and surrounding cockpit up to steps
- 1 Leather sheathed stainless steel handrail in cockpit deckhead
- 1 Stainless steel handrail at entrance to port side deck

## **COCKPIT**

- Self-bailing cockpit
- Teak gunwales
- 2 Lockers in cockpit bottom gas piston assisted and lockable
- Gas bottle integrated into staircase
- Hot water cockpit shower / Cold water
- Cockpit access door
- Bathing platform with natural teak overlay and stainless steel rubbing strake (3,41 x 1,00 m / 11'2" x 3'3")
- Ergonomic bathing ladder with hand holds in the bathing platform
- 1 Access door to starboard side deck from cockpit with grey tinted port

## **FLYBRIDGE**

- Flybridge self-bailing
- Stainless steel staircase and access ramp to flybridge with teak treads
- Grey tinted windscreen in PMMA
- Access via PMMA hatch
- Stainless steel pulpit surrounding aft of flybridge
- White lacquered swing mast, Navigation light mounting, Radar, Aerials and deck spotlight
- Central steering console
- Control panel including: Electrical engine controls, Electric windlass control, Thruster and Trim tab
- Gauges indicators
- Rudder angle indicator
- Space for navigation electronics
- Steering wheel stainless steel
- Steering compass
- Hydraulic steering
- Fog horn
- 12 V Power outlet
- White lacquered aluminium loading boom (electrical)
- 1 Adjustable pilot seat - Dual tone PVC Diamante Storm&Snow Cushions
- 1 Adjustable co-driver's seat to port - Dual tone PVC Diamante Storm&Snow Cushions
- Flybridge salon to port consisting of L-shaped bench seat with integral lockers, removable teak table and Dual tone PVC Diamante Storm&Snow upholstery

- GRP unit with sink, handrail and stowage
- Space for life raft with stainless steel fixing bolt plates
- Fly console covers White
- Glass holder (5)

## **INTERIOR**

- Woodwork Alpi Mahogany (optional extra: Walnut version)
- Parquet type laminated floors (optional extra: rovere Parquet type laminated floorboards)
- Taupe Cushions

## **SALON**

Headroom: 1,98 m / 6'6"

- Sofa convertible to double berth
- Dividing rail and curtains for berth
- Stool
- 2 Folding arm chairs
- Semi-folding, adjustable height, varnished wood salon table
- Storage cupboards
- Cubby hole lockers
- 3 Leaf aft sliding door with black lacquered aluminium frame
- 1 Leather covered handrail on deckhead
- Precabing TV + DVD (DVD Player Fusion® s700, TV not included)

## **GALLEY**

Headroom: 1,98 m / 6'6"

- U-shaped galley with opening window - Includes:
  - \* Corian® Sagebrush worktop with sink covers
  - \* 2 Stainless steel sinks with cold/hot water mixer taps under pressure
  - \* Gas oven
  - \* 3-burner hob and oven with protective glass cover
  - \* 130 L front opening fridge (12 V)
  - \* Cutlery drawer
  - \* Stowage and drawers
  - \* Garbage bin
  - \* 37 L refrigerator / 1,3 Cu.ft On the Worktop

## **STEERING STATION**

- Clear glass windscreen with aluminium frames black lacquered
- Anti-reflective coating
- 3 Synchronised windscreen wipers
- Windscreen washer
- Defogger
- Side windows with black lacquered frames fitted with thin wood strip blinds
- Instrument panel with wide space for fitting navigation electronics
- Engine dials: Revolution counter, Fuel gauge, Warnings, Rudder angle indicator, Trim tab indicators
- Remote control: Electric windlass, Bow thruster, Navigation lights, Electric windscreen wipers and fog horns, Electric dual engine controls
- Steering wheel
- Steering compass
- 12 V Power outlet
- Two-seater pilot and copilot bench - PVC Nuance Coffee bean
- Removable floor step

- Sliding side door with direct access to catwalk
- 1 Leather covered handrail on deckhead
- Glass holder (2)

#### **OWNER'S CABIN (FORWARD)**

Headroom: 1,92 m / 6'4"

- Double berth (1,96 x 1,45 m / 6'5" x 4'9")
- Marine mattress
- Storage under berth
- Storage each side of bed
- Mirror
- 2 Hanging cupboards with lighting
- 1 Opening deck hatch with fitted mosquito net
- 2 Opening hull portholes with blackout curtains
- Precabling TV + DVD (DVD Player Fusion® s700, TV not included)

#### **HEAD (STARBOARD)**

Headroom: 1,98 m / 6'6"

- Mirror with back lighting
- Cupboard
- Open stowage locker
- 1 Opening deck hatch with fitted mosquito net
- Inset resin basin

Separate shower compartment with fold-down seat over WC

- Electric toilet Quiet flush
- Storage

#### **GUEST CABINS (PORTSIDE)**

Headroom: 1,98 m / 6'6"

- Double berth (1,96 x 1,45 m / 6'5" x 4'9")
- Marine mattress
- 4 Drawers
- Cupboard units
- Storage under berth
- 2 Opening hull portholes with blackout curtains

#### **HEAD (STARBOARD - AFT)**

Headroom: 1,98 m / 6'6"

- Mirror with back lighting
- Cupboard
- 2 Opening portholes
- Electric toilet Quiet flush
- Inset resin basin
- Mixer tap
- Shower

#### **ENGINE**

- Shaft propulsion
- Four-blade propellers
- Dual engine Volvo D4 300 HP / HP (2 x 221 kW)
- Fuel filters with sediment reservoir
- Sea water filters

- Engine room soundproofed with high density foam 40mm thick
- Air intakes for engine space cooling on the hull sides
- 2 Extinguishers
- Fuel tank deck filler
- 2 Aluminium fuel tanks (Capacity = 2 x 700 L / 2 x 185 US Gal, inter-connected and pre-fitted for FPS connection system (Fuel Polishing System))

Steering system:

- 2 Bronze underhung rudders
- Hydraulic steering
- Electric trim tabs
- Bow thruster Quick BTQ 185 85 12
- Stern thruster Double station Quick 185

## **ELECTRICITY**

- Electrical panel 12 V / 110 V
- Shore power socket
- 8 Sockets (2 in salon, 2 in the galley, 1 in owner's cabin, 1 in guest cabin, 1 in forward head, 1 in second head), + 2 for TV (Salon + Owner's cabin)
- 2 double antenna sockets (TNT - SAT)
- 2 12V 140Ah service batteries
- 4 12V 50Ah engine start batteries
- 2 12V 50Ah bow thruster batteries
- 2 Battery chargers 25 Ah
- 2 12 V Power outlets
- Outside and inside lighting LED (Overhead lights, Reading lights)
- Outside lighting (Navigation lights, Mooring light with stainless steel mountings)
- 11 kVA Generator 110 V / 60 Hz - with cocoon

## **PLUMBING**

- 1 Manual bilge pump (cockpit)
- 2 Electric bilge pumps 1 of which automatic
- Water pump for pressurizing hot/cold water system
- 40 L / 11 US Gal Water heater working off engine exchanger and 110 V
- Water tank filler
- 2 Rotomolded water tanks (2 x 320 L / 2x85 US Gal)
- Drainage outlet for black water holding tank
- Holding tank 120 L / 32 US Ga

GALLERY



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100