Knoxville Yacht Sales 1914 Ridge Oak Lane Knoxville, TN 37922 Phone: 865-381-1584



AB Inflatables Ventus 12 VL

Boat Type: Inflatable



OVERVIEW

Ventus – Latin for "air"– is our line of lightweight tenders. With their low weight to length ratio and balanced design, Ventus boats require very little horsepower to achieve astonishing performance and speeds. They sport a full V-shape hull that runs the entire length of the boat, providing exceptional tracking and stability. Ventus models are the only lightweight boats on the market with an additional air chamber built into the hull. This air chamber makes the Ventus line extremely safe and reliable, while providing a level non-skid floor to keep your cargo and passengers dry. Ventus boats make ideal tenders with plenty of room for carrying crew and provisions.

- Overall Length: 12' / 3,66m
- Overall Beam: 5' 10" / 1,77m
- Inside Length: 8' 9" / 2,67m
- Inside Beam: 2' 9" / 0,84m
- Tube Diameter: 18" / 0,46m

- Number of Chambers: 3+1
- Person Capacity: 6
- Weight: 156lbs / 71kg
- Recommended HP: 20hp / 14,9kw
- Maximum HP: 30hp / 22,4kw
- Shaft Length: 15" / 38,1cm
- RDC Design Category: C

SPECIFICATIONS Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Ventus 12 VL	Hull Material:	Fiberglass
Year:	2018	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	12.00 ft	Draft - max:	-
LOA:	12 ft - 3.66 meter	Bridge Clearance:	-
Beam:	5 ft 11 in - 1.8 meter	Dry Weight:	156 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Non-Skid Rubber Floor Panels Plastic External Transom Plate Aluminum Internal Transom Plate with Security Lip Stainless Steel Bow Eye 3 Stainless Steel Davit Lifting Points Inner Hull Drain with Plug **Deck Condensation Plug** Orca (CSM) Five Layer Coated Fabric Raised Single Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes 2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes 2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes Removable Stern Seat Paddles with Aluminum Shaft Paddle Holders Hand Pump Maintenance Kit Owner's Manual Additional Air Retaining Chamber Under the Floor 3 Layers Reinforced Seams

Optional Equipment

Tube Chaps Boat Cover Chock Set Bow Step with Fold Down Stainless Steel Cleat Lateral Fold Down Stainless Steel Cleat Removable Rowing Seat

GALLERY







Knoxville Yacht Sales 1914 Ridge Oak Lane Knoxville, TN 37922 Phone: 865-381-1584