Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100

AB Inflatables Navigo 8 VS

Boat Type: Inflatable



OVERVIEW

The Navigo series is our premier line of open tenders. Hand crafted with careful consideration to every detail, these boats are designed for maximum performance, comfort, and durability. The Navigo series features AB's unique forward-hull design, making them the most spacious tenders on the market. In addition, all Navigo models are equipped with all the amenities sought by serious boaters, including: a large bow locker with seating, diamond pattern non-skid fiberglass deck, a double rub rail, four davit lifting rings, heavy-duty rubber carry handles, and much more. The raised bow and large-diameter tubes provide for the driest and most comfortable ride of any open tender on the market. The Navigo line will impress even the most discriminating boater.

• Overall Length: 8' 6" / 2,60m

• Overall Beam: 5'4" / 1,64m

Inside Length: 5' 10" / 1,79m
Inside Beam: 2' 4" / 0,72m
Tube Diameter: 16" / 0,40m
Number of Chambers: 3+1

• Person Capacity: 4

• Weight: 125lbs / 57kg

• Recommended HP: 8hp / 6,0kw • Maximum HP: 10hp / 7,5kw • Shaft Length: 15" / 38,1cm • RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer: AB Inflatables Inflatable Boat Type: Navigo 8 VS Model: **Fiberglass** Hull Material: Year: 2018 Deep Vee Hull Type:

Category: Power

Dimensions & Weight

Length: 8.00 ft Draft - max:

LOA: 8 ft 6 in - 2.59 meter Bridge Clearance:

Beam: 5 ft 4 in - 1.62 meter Dry Weight: 125 ft

Deadrise Aft:

Tank Capacities

Fuel Tank: Holding Tank:

Fresh Water Tank:

Accommodations

Total Cabins: Crew Cabins:

Total Berths: Crew Berths:

Total Sleeps: Crew Sleeps:

Total Heads: Crew Heads:

Captains Cabin: No

FEATURES

Standard Equipment

Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Bow Locker/Seat

Diamond Shape Non-Skid Deck

Plastic External Transom Plate

Aluminum Internal Transom Plate with Security Lip

Orca (CSM) Five Layer Coated Fabric

3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

Raised Double Rub Rail

Stainless Steel Bow Eye

4 Stainless Steel Davit Lifting Points

Stainless Steel Tow Rings & Tie Downs

Deck Condensation Plug

Deck Drain with Plug

1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes

2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes

2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes

3 Layers Reinforced Seams

Oarlock Base

Telescopic Oars with Aluminum Shaft

Paddle Holders

Removable Rowing Seat

Hand Pump

Maintenance Kit

Owner's Manual

Additional Air Retaining Chamber Under the Floor

Optional Equipment

Bow Hatch Cushion

Tube Chaps

Boat Cover

Chock Set

Bow Step with Fold Down Stainless Steel Cleat

Lateral Fold Down Stainless Steel Cleat

GALLERY















Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100