Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100

AB Inflatables Navigo 19 VS

Boat Type: Inflatable



OVERVIEW

The Navigo series is our premier line of open tenders. Hand crafted with careful consideration to every detail, these boats are designed for maximum performance, comfort, and durability. The Navigo series features AB's unique forward-hull design, making them the most spacious tenders on the market. In addition, all Navigo models are equipped with all the amenities sought by serious boaters, including: a large bow locker with seating, diamond pattern non-skid fiberglass deck, a double rub rail, four davit lifting rings, heavy-duty rubber carry handles, and much more. The raised bow and large-diameter tubes provide for the driest and most comfortable ride of any open tender on the market. The Navigo line will impress even the most discriminating boater.

- Overall Length: 19' / 5,79m
- Overall Beam: 8' 4" / 2,53m
- Inside Length: 15' 2" / 4,62m
- Inside Beam: 4' 1" / 1,25m
- Tube Diameter: 22" / 0,56m
- Number of Chambers: 5
- Person Capacity: 15

×

- Weight: 1157lbs / 526kg
- Recommended HP: 115hp / 85.8kw
- Maximum HP: 150hp / 111.9kw
- Shaft Length: 25" / 63,5cm
- RDC Design Category: C

SPECIFICATIONS Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Navigo 19 VS	Hull Material:	Fiberglass
Year:	2018	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	19.00 ft	Draft - max:	-
LOA:	19 ft - 5.79 meter	Bridge Clearance:	-
Beam:	8 ft 4 in - 2.54 meter	Dry Weight:	1157 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank: -	Holding Tank: -	
--------------	-----------------	--

Fresh Water Tank: -

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

STANDARD EQUIPMENT

Hand Laid Fiberglass Deep "V" Hull

Stringer System Laminated into Hull

Bow Locker/Seat

Diamond Shape Non-Skid Deck

Plastic External Transom Plate

Aluminum Internal Transom Plate
Orca (CSM) Five Layer Coated Fabric
5 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
Raised Double Solid Rub Rail
Stainless Steel Bow Eye
4 Stainless Steel Davit Lifting Points
Stainless Steel Tow Rings & Tie Downs
2 Deck Drain with Plug
1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes
2 Inside Bow Sets of 3 Orca (CSM) Fabric Handles on Tubes
2 Inside Stern of 3 Orca (CSM) Fabric Handles on Tubes
3 Layers Reinforced Seams
Paddles with Aluminum Shaft
Paddle Holders
Hand Pump
Maintenance Kit
Owner's Manual
OPTIONAL EQUIPMENT

Fuel Tank

Bow Hatch Cushion

Boat Cover

Chock Set

Bow Step with Fold Down Stainless Steel Cleat

Lateral Fold Down Stainless Steel Cleat

Removable Stern Seat

Bimini Top

Fiberglass Console

Fiberglass Console with Forward Seat

Bench Seat with Storage

Two Person Jockey Seat

Stainless Steel Helm Unit

GALLERY



×

Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100