

# AB Inflatables Alumina 10 ALX

Boat Type: Inflatable



## OVERVIEW

Combining the sporty and stylish design of our Oceanus series with the durability and light weight of our Lammina series, the Alumina line is ideal for those who require a rugged, yet lightweight tender. Our Alumina series offers a full-featured console tender that is light enough to meet the requirements of limited capacity davits.

Each Alumina model is equipped with a heavy duty aluminum hull that will resist abrasions from rocky shores, coral and sandy beaches. The lightweight of this hull also means that Alumina boats claim excellent fuel economy and can reach cruising speeds with less horsepower. In addition, the Alumina series features comfortable upholstered seating, smartly designed fiberglass consoles, full hull length rubber keel protector, ample storage space and an integrated bow locker.

- Overall Length: 10' 6" / 3,19m
- Overall Beam: 5' 6" / 1,68m
- Inside Length: 7' 6" / 2,30m
- Inside Beam: 2' 8" / 0,81m

- Tube Diameter: 17" / 0,43m
- Number of Chambers: 3
- Person Capacity: 5
- Weight: 255 lbs / 116kg
- Recommended HP: 15hp / 11,2kw
- Maximum HP: 20hp / 14,9kw
- Shaft Length: 20" / 50.8 cm
- RDC Design Category: C

## SPECIFICATIONS

### Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Alumina 10 ALX	Hull Material:	Aluminum
Year:	2018	Hull Type:	Deep Vee
Category:	Power		

### Dimensions & Weight

Length:	10.00 ft	Draft - max:	-
LOA:	10 ft 6 in - 3.2 meter	Bridge Clearance:	-
Beam:	5 ft 6 in - 1.68 meter	Dry Weight:	255 ft
Deadrise Aft:	-		

### Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

### Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

## FEATURES

### Standard Equipment

Deep "V" Marine GRADE Aluminum Hull  
 Stringer System Welded under Aluminum Deck  
 Heavy Duty Transom Knees  
 Non-Skid Rubber Floor Panels  
 Plastic External Transom Plate

Aluminum Internal Transom Plate  
Aluminum Bow Eye  
4 Aluminum Davit Lifting Points  
Aluminum Transom Tie Down & Towing Rings  
Aluminum Bow Tie Down & Towing Rings  
Deck Drain with Plug  
Orca (CSM) Five Layer Coated Fabric  
Raised Single Rub Rail  
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves  
1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes  
2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes  
2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes  
Hand Pump  
Maintenance Kit  
Owner's Manual  
Closed Cell Foam Upholstery  
Fiberglass Console Small  
Bench Seat with Storage  
Bow Locker/Seat  
Bow Hatch Cushion  
Console Access Lid  
360° White Light Navigation Pole  
Stainless Steel Console Grab Rail  
Battery Box  
Battery Switch  
Fuel and Water Separator Filter  
Mechanical Steering System  
Stainless Steel Steering Wheel  
Complete Tin Wiring & Heat Shrink Sealed Terminals  
3 Layers Reinforced Seams  
Rubber Protector on Full Length of Keel

### **Optional Equipment**

Boat Cover  
Chock Set  
Transom Ladder  
Bimini Top with Stainless Steel Tubing  
Console Cover  
Lifting Harness  
Teak Floor  
CD/Radio System  
Compass  
GPS  
VHF Package

GALLERY



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100