**Yachting Solutions**
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100

# AB Inflatables Alumina 11 ALX

Boat Type: Inflatable



OVERVIEW

Combining the sporty and stylish design of our Oceanus series with the durability and light weight of our Lammina series, the Alumina line is ideal for those who require a rugged, yet lightweight tender. Our Alumina series offers a full-featured console tender that is light enough to meet the requirements of limited capacity davits.

Each Alumina model is equipped with a heavy duty aluminum hull that will resist abrasions from rocky shores, coral and sandy beaches. The lightweight of this hull also means that Alumina boats claim excellent fuel economy and can reach cruising speeds with less horsepower. In addition, the Alumina series features comfortable upholstered seating, smartly designed fiberglass consoles, full hull length rubber keel protector, ample storage space and an integrated bow locker.

- Overall Length: 11' 6" / 3,50m
- Overall Beam: 5' 7" / 1,70m
- Inside Length: 8' 6" / 2,60m
- Inside Beam: 2' 8" / 0,81m
- Tube Diameter: 17" / 0,43m

- Number of Chambers: 3
- Person Capacity: 5
- Weight: 284lbs / 129kg
- Recommended HP: 20hp /14,9kw Maximum HP: 30hp /22,4kw
- Shaft Length: 20" / 50,8cm
- RDC Design Category: C

## SPECIFICATIONS

### Basic Information

| | | | |
|---|---|---|---|
| Manufacturer: | AB Inflatables | Boat Type: | Inflatable |
| Model: | Alumina 11 ALX | Hull Material: | Aluminum |
| Year: | 2018 | Hull Type: | Deep Vee |
| Category: | Power | | |

### Dimensions & Weight

| | | | |
|---|---|---|---|
| Length: | 11.00 ft | Draft - max: | - |
| LOA: | 11 ft 6 in - 3.51 meter | Bridge Clearance: | - |
| Beam: | 5 ft 7 in - 1.7 meter | Dry Weight: | 284 ft |
| Deadrise Aft: | - | | |

### Tank Capacities

| | | | |
|---|---|---|---|
| Fuel Tank: | - | Holding Tank: | - |
| Fresh Water Tank: | - | | |

### Accommodations

| | | | |
|---|---|---|---|
| Total Cabins: | - | Crew Cabins: | - |
| Total Berths: | - | Crew Berths: | - |
| Total Sleeps: | - | Crew Sleeps: | - |
| Total Heads: | - | Crew Heads: | - |
| Captains Cabin: | No | | |

## FEATURES

**Standard Equipment**

Deep “V” Marine GRADE Aluminum Hull
Stringer System Welded under Aluminum Deck
Heavy Duty Transom Knees
Non-Skid Rubber Floor Panels
Plastic External Transom Plate
Aluminum Internal Transom Plate
Aluminum Bow Eye

4 Aluminum Davit Lifting Points
AluminumTransom Tie Down & Towing Rings
Aluminum Bow Tie Down & Towing Rings
Deck Drain with Plug
Orca (CSM) Five Layer Coated Fabric
Raised Single Rub Rail
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes
2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes
Hand Pump
Maintenance Kit
Owner's Manual
Closed Cell Foam Upholstery
Fiberglass Console
Bench Seat with Storage
Bow Locker/Seat
Bow Hatch Cushion
Console Access Lid
Bow Step with Fold Down Stainless Steel Cleat & Running Lights
360° White Light Navigation Pole
Lateral Fold Down Stainless Steel Cleat
Stainless Steel Console Grab Rail
Plexiglass Windshield
Deluxe Carbon Fiber Style Pannel
4 Waterproof Rocker Switches with Circuit Brakers
Battery Box
Battery Switch
Fuel and Water Separator Filter
Mechanical Steering System
Stainless Steel Steering Wheel
Complete Tin Wiring & Heat Shrink Sealed Terminals
3 Layers Reinforced Seams
Rubber Protector on Full Length of Keel

**Optional Equipment**

Tube Chaps
Boat Cover
Chock Set
Transom Ladder
Bimini Top with Stainless Steel Tubing
Console Cover
Lifting Harness
Teak Floor
CD/Radio System
Compass
GPS
VHF Package

GALLERY








**Yachting Solutions**
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100