

AB Inflatables Alumina 14 ALX

Boat Type: Inflatable



OVERVIEW

Combining the sporty and stylish design of our Oceanus series with the durability and light weight of our Lammina series, the Alumina line is ideal for those who require a rugged, yet lightweight tender. Our Alumina series offers a full-featured console tender that is light enough to meet the requirements of limited capacity davits.

Each Alumina model is equipped with a heavy duty aluminum hull that will resist abrasions from rocky shores, coral and sandy beaches. The lightweight of this hull also means that Alumina boats claim excellent fuel economy and can reach cruising speeds with less horsepower. In addition, the Alumina series features comfortable upholstered seating, smartly designed fiberglass consoles, full hull length rubber keel protector, ample storage space and an integrated bow locker.

• Overall Length: 14' / 4,27m

- Overall Beam: 6' 7" / 2,00m
- Inside Length: 10' 10" / 3,30m
- Inside Beam: 3'3'' / 0,99m
- Tube Diameter: 19" / 0,48m
- Number of Chambers: 4
- Person Capacity: 8
- Weight: 367lbs / 167kg
- Recommended HP: 40hp / 29,8kw
- Maximum HP: 50hp / 37,3kw
- Shaft Length: 20" / 50,8cm
- RDC Design Category: C

SPECIFICATIONS Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable		
Model:	Alumina 14 ALX	Hull Material:	Aluminum		
Year:	2018	Hull Type:	Deep Vee		
Category:	Power				

Dimensions & Weight

Length:	14.00 ft	Draft - max:	-
LOA:	14 ft - 4.27 meter	Bridge Clearance:	-
Beam:	6 ft 7 in - 2.01 meter	Dry Weight:	367 ft
Deadrise Aft	-		

Deadrise Aft:

Tank Capacities

Fuel Tank:	-	Holding Tank:	-		
Fresh Water Tank:	-				
Accommodations					
Total Cabins:	-	Crew Cabins:	-		

Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Deep "V" Marine GRADE Aluminum Hull Stringer System Welded under Aluminum Deck Heavy Duty Transom Knees Non-Skid Rubber Floor Panels Plastic External Transom Plate Aluminum Internal Transom Plate Aluminum Bow Eye 4 Aluminum Davit Lifting Points AluminumTransom Tie Down & Towing Rings Aluminum Bow Tie Down & Towing Rings Deck Drain with Plug Orca (CSM) Five Layer Coated Fabric Raised Double Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes 2 Inside Bow Sets of Triple Orca (CSM) Fabric Handles on Tubes 2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes Hand Pump Maintenance Kit Owner's Manual Closed Cell Foam Upholstery Fiberglass Console with Forward Seat & Cushion Bench Seat with Storage Bow Locker/Seat Bow Hatch Cushion Console Access Lid Bow Step with Fold Down Stainless Steel Cleat & Running Lights 360° White Light Navigation Pole Lateral Fold Down Stainless Steel Cleat Stainless Steel Console Grab Rail Plexiglass Windshield **Deluxe Carbon Fiber Style Pannel** 4 Waterproof Rocker Switches with Circuit Brakers **Battery Box Battery Switch** Fuel and Water Separator Filter Mechanical Steering System Stainless Steel Steering Wheel Complete Tin Wiring & Heat Shrink Sealed Terminals 3 Layers Reinforced Seams Rubber Protector on Full Length of Keel

Optional Equipment

Tube Chaps Boat Cover Chock Set Transom Ladder Bimini Top with Stainless Steel Tubing Console Cover Lifting Harness Teak Floor CD/Radio System Compass GPS VHF Package GALLERY

