



# AB Inflatables Lammina 10 AL

Boat Type: Inflatable



## **OVERVIEW**

Lammina is the first line of marine-grade, aluminum-hull inflatables to reach the U.S. market. The Superlight models, available in lengths 9,5 feet and under, feature a 2,28mm (0.090") aluminum hull. The rest of the line, available in lengths 10 feet and larger, sports a 3,17mm (0.125") aluminum hull. The transom thickness on models 8 to 10 feet is 3,17mm (0.125") and from models 11 to 16 feet is 4,7mm (0.190"). These tough, lightweight and durable aluminum hulls will resist abrasions from rocky shores, coral and sandy beaches. The innovative design of the Lammina series cuts through wakes and chop with far less pounding. The result is an exceptionally dry, stable and superior ride.

Overall Length: 10' 6" /3.19m
Overall Beam: 5' 6" / 1.68m
Inside Length: 7' 6" / 2.30m
Inside Beam: 2' 8" /0.81m
Tube Diameter: 17" /0.43m

Number of Chambers: 3Person Capacity: 5Weight: 117lb / 53kg

Recommended HP: 10 hp / 7.5 kw
Maximum HP: 20 hp / 14.9 kw
Shaft Length: 15" / 38.1 cm

• RDC Design Category: C

## **SPECIFICATIONS**

## **Basic Information**

Manufacturer: AB Inflatables Boat Type: Inflatable

Model: Lammina 10 AL Hull Material: Aluminum

Year: 2018 Hull Type: Deep Vee

Category: Power

## **Dimensions & Weight**

Length: 10.00 ft Draft - max: -

LOA: 10 ft 6 in - 3.2 meter Bridge Clearance: -

Beam: 5 ft 6 in - 1.68 meter Dry Weight: 117 ft

Deadrise Aft: -

## **Tank Capacities**

Fuel Tank: - Holding Tank: -

Fresh Water Tank: -

#### **Accommodations**

Total Cabins: - Crew Cabins: -

Total Berths: - Crew Berths: -

Total Sleeps: - Crew Sleeps: -

Total Heads: - Crew Heads: -

Captains Cabin: No

#### **FEATURES**

## **Standard Equipment**

Deep "V" Marine Grade Aluminum Hull

Heavy Duty Transom Knee

Stringer System Welded Under Aluminum Deck

Non-Skid Rubber Floor Panels

Plastic External Transom Plate

Aluminum Internal Transom Plate with Security Lip

Aluminum Bow Eye

3-4 Aluminum Davit Lifting Points

AluminumTransom Tie Down & Towing Rings

Deck Drain with Plug

Orca (CSM) Five Layer Coated Fabric

Raised Single Rub Rail

Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes

2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes

2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes

Removable Rowing Seat

Oarlock Base

Telescopic Oars with Aluminum Shaft

Paddle Holders

Hand Pump

Maintenance Kit

Owner's Manual

3 Layers Reinforced Seams

Rubber Protector on Full Length of Keel

## **Optional Equipment**

Bow Locker/Seat

Tube Chaps

**Boat Cover** 

Chock Set

Bow Step with Fold Down Stainless Steel Cleat

Lateral Fold Down Stainless Steel Cleat

Removable Stern Seat

## **GALLERY**



























Knoxville Yacht Sales 1914 Ridge Oak Lane Knoxville, TN 37922 Phone: 865-381-1584