Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100

# AB Inflatables Lammina 15 AL

Boat Type: Inflatable



#### **OVERVIEW**

Lammina is the first line of marine-grade, aluminum-hull inflatables to reach the U.S. market. The Superlight models, available in lengths 9,5 feet and under, feature a 2,28mm (0.090") aluminum hull. The rest of the line, available in lengths 10 feet and larger, sports a 3,17mm (0.125") aluminum hull. The transom thickness on models 8 to 10 feet is 3,17mm (0.125") and from models 11 to 16 feet is 4,7mm (0.190"). These tough, lightweight and durable aluminum hulls will resist abrasions from rocky shores, coral and sandy beaches. The innovative design of the Lammina series cuts through wakes and chop with far less pounding. The result is an exceptionally dry, stable and superior ride.

Overall Length: 15' /4.57m
Overall Beam: 6' 9" / 2.06m
Inside Length: 11' 8" / 3.55m
Inside Beam: 3' 4" / 1.03m
Tube Diameter: 19" / 0.48m
Number of Chambers: 5

Person Capacity: 9Weight: 326lb / 148kg

• Recommended HP: 50 hp / 37,3 kw

• Maximum HP: 60 hp / 44.8kw

• Shaft Length: 20" / 50.8cm

• RDC Design Category: C

# **SPECIFICATIONS**

#### **Basic Information**

Manufacturer: AB Inflatables Boat Type: Inflatable

Model: Lammina 15 AL Hull Material: Aluminum

Year: 2018 Hull Type: Deep Vee

Category: Power

# **Dimensions & Weight**

Length: 15.00 ft Draft - max: -

LOA: 15 ft - 4.57 meter Bridge Clearance: -

Beam: 6 ft 9 in - 2.06 meter Dry Weight: 326 ft

Deadrise Aft: -

# **Tank Capacities**

Fuel Tank: - Holding Tank: -

Fresh Water Tank: -

#### **Accommodations**

Total Cabins: - Crew Cabins:

Total Berths: - Crew Berths: -

Total Sleeps: - Crew Sleeps: -

Total Heads: - Crew Heads: -

Captains Cabin: No

### **FEATURES**

#### **Standard Equipment**

Deep "V" Marine Grade Aluminum Hull

Heavy Duty Transom Knee

Stringer System Welded Under Aluminum Deck

Non-Skid Rubber Floor Panels

Plastic External Transom Plate

Aluminum Internal Transom Plate

Aluminum Bow Eye

3-4 Aluminum Davit Lifting Points

AluminumTransom Tie Down & Towing Rings

Aluminum Bow Tie Down & Towing Rings

Deck Drain with Plug

Orca (CSM) Five Layer Coated Fabric

Raised Double Rub Rail

Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes

2 Inside Bow Sets of Quadruple Orca (CSM) Fabric Handles on Tubes

2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes

Paddles with Aluminum Shaft

Paddle Holders

Hand Pump

Maintenance Kit

Owner's Manual

3 Layers Reinforced Seams

Rubber Protector on Full Length of Keel

#### **Optional Equipment**

Bow Locker/Seat

**Tube Chaps** 

**Boat Cover** 

Chock Set

Bow Step with Fold Down Stainless Steel Cleat

Lateral Fold Down Stainless Steel Cleat

Fiberglass Console

Fiberglass Console with Forward Seat

Bench Seat with Storage

One Person Jockey Seat

Two Person Jockey Seat

Stainless Steel Helm Unit

# GALLERY















×





Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100