



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100

AB Inflatables AB Rider

Boat Type: Inflatable



OVERVIEW

The new AB Rider delivers the ultimate water experience. Its unsurpassed design and outstanding performance will give you many hours of safe and exhilarating fun. This lightweight, fuel efficient and exciting 10' inflatable has ample seating for two adults and plenty of storage to keep your cargo protected and dry at all times. It is still a tender to your mother ship and can easily be lifted by its four davit lifting points for storage. The AB Rider was made with the same safety features found on our inflatable boats such as three air chambers and tough Orca(CSM) material. The AB Rider was designed for those looking for a new type of thrilling and versatile water craft.

- Overall Length: 10' 6" / 3,20m
- Overall Beam: 5' 9" / 1,76m
- Inside Length: 7' 9" / 2,37mm
- Inside Beam: 2' 10" / 0,86m
- Tube Diameter: 17" / 0,43m
- Number of Chambers: 3
- Person Capacity: 4
- Weight: 273lb / 124kg

- Recommended HP: 25hp / 18,7kw
- Maximum HP: 30hp / 22,4kw
- Shaft Length: 20' / 50,8cm
- RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	AB Rider	Hull Material:	Fiberglass
Year:	2018	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	10.00 ft	Draft - max:	-
LOA:	10 ft 6 in - 3.2 meter	Bridge Clearance:	-
Beam:	5 ft 9 in - 1.75 meter	Dry Weight:	273 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Heavy Duty Stringer System Laminated into Hull
 Diamond Shape Non-Skid Deck
 Plastic External Transom Plate
 Aluminum Internal Transom Plate
 Hand Pump
 Maintenance Kit
 Owner's Manual
 Large Bow Fuel, Anchor & Storage Locker
 Orca (CSM) Five Layer Coated Fabric

3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
Raised Single Rub Rail
Stainless Steel Bow Eye
4 Stainless Steel Davit Lifting Points
Stainless Steel Tow Rings & Tie Downs
Inner Hull Drain with Plug
Deck Drain with Plug
1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
2 Inside Heavy Duty Orca (CSM) Fabric Handles on Tubes
3 Layers Reinforced Seams
Mechanical Steering System
Stainless Steel Steering Wheel
Closed Cell Foam Upholstery

Optional Equipment

Boat Cover
Chock Set
Lateral Fold Down Stainless Steel Cleat
Bimini Top
Compass
GPS
VHF Package

GALLERY



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100