Yachting Solutions 229 Commercial Street

Rockport, ME, US Phone: (207) 236-8100

AB Inflatables Profile F14

Boat Type: Inflatable



OVERVIEW

The heavy duty "F-Series" professional fiberglass RIBs have an open design that allows for easy customization. Our wide variety of seats and consoles allow the professional to design the boat to fit their needs instead of having to compromise on a set design. Our deep V forward hull design provides for superior stability and a drier ride. The reinforced commercial grade fiberglass hulls with the 1670 D-tex CSM Fabric make them an excellent choice for the discerning professional.

Overall Length: 14' / 4,27m
Overall Beam: 6'4" / 1,94m
Inside Length: 10'10" / 3,3m
Inside Beam: 3'1" / 0,94m
Tube Diameter: 19" / 0,48m

• Person Capacity: 8

Weight: 403 lbs / 183 kg *

• Recommended HP: 40hp / 29.8kw

• Maximum HP: 50hp / 37.3kw

Shaft Length: 20" / 50,8 cmRDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer: AB Inflatables Boat Type: Inflatable

Model: Profile F14 Hull Material: Fiberglass

Year: 2018 Hull Type: Deep Vee

Category: Power

Dimensions & Weight

Length: 14.00 ft Draft - max: -

LOA: 14 ft - 4.27 meter Bridge Clearance: -

Beam: 6 ft 4 in - 1.93 meter Dry Weight: 403 ft

Deadrise Aft: -

Tank Capacities

Fuel Tank: - Holding Tank: -

Fresh Water Tank: -

Accommodations

Total Cabins: - Crew Cabins: -

Total Berths: - Crew Berths: -

Total Sleeps: - Crew Sleeps: -

Total Heads: - Crew Heads: -

Captains Cabin: No

FEATURES

Standard Equipment

Professional Grade Hand Laid Fiberglass Deep "V" Hull

Fiberglass Stringer System Laminated into Hull

Bow Locker / Seat

Diamond Shape Non Skid Deck

Plastic External Transom Plate

Aluminum Internal Transom Plate

Orca (CSM) 1670 D-tex Five Layer Coated Professional Use Fabric

4 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

Pressure Relief Valves

Raised Double Solid Rub Rail

Stainless Steel Bow Eye

4 Stainless Steel Davit Lifting Points

Stainless Steel Tow Ring & Tie Downs

Deck Condensation Plug

Deck Drain with Plug

1 Front & 4 Side Orca (CSM) Heavy Duty Fabric Handles on Tubes

4 Layer Reinforced Seams

Paddles with Aluminum Shaft

Paddle Holders

Removable Stern Seat

Hand Pump

Maintenance Kit

Owner's Manual

Additional Air Retaining Chamber Under the Floor

Non-Skid (CSM) Coated Fabric On Tube Surface

Lifeline Around Tube

Rubber Protector on Full Length of Keel

Optional Equipment

Boat Cover

Chock Set

Bow Step with Fold Down Stainless Steel Cleat

Bow Step with Fold Down Stainless Steel Cleat & Running Lights

Lateral Fold Down Stainless Steel Cleat

Fiberglass Console

Fiberglass Console with Forward Seat

Two Person Jockey Console

Customized Aluminum Consoles, Jockey Consoles and Jockey Seats

Light Arch

360 White Light Navigation Pole

Mechanical or Hydraulic Steering System

Stainless Steel Steering Wheel

Automatic Bilge Pump 500 GPH

Battery Charger

Closed Cell Foam Upholstery

GALLERY















Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100