


# AB Inflatables Profile F15

Boat Type: Inflatable



## OVERVIEW

The heavy duty "F-Series" professional fiberglass RIBs have an open design that allows for easy customization. Our wide variety of seats and consoles allow the professional to design the boat to fit their needs instead of having to compromise on a set design. Our deep V forward hull design provides for superior stability and a drier ride. The reinforced commercial grade fiberglass hulls with the 1670 D-tex CSM Fabric make them an excellent choice for the discerning professional.

- Overall Length: 15' / 4,57m
- Overall Beam: 6'6" / 1,99m
- Inside Length: 11'6" / 3,5m
- Inside Beam: 3'2" / 0,97m
- Tube Diameter: 19" / 0,48m
- Person Capacity: 9

- Weight: 484 lbs / 220 kg \*
- Recommended HP: 60hp / 44.8kw
- Maximum HP: 75hp / 56kw
- Shaft Length: 20" / 50,8cm
- RDC Design Category: C

#### SPECIFICATIONS Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Profile F15	Hull Material:	Fiberglass
Year:	2018	Hull Type:	Deep Vee
Category:	Power		

## **Dimensions & Weight**

Length:	15.00 ft	Draft - max:	-
LOA:	15 ft - 4.57 meter	Bridge Clearance:	-
Beam:	6 ft 6 in - 1.98 meter	Dry Weight:	484 ft
Deadrise Aft:	-		

## **Tank Capacities**

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

#### Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

## FEATURES

#### **Standard Equipment**

Professional Grade Hand Laid Fiberglass Deep "V" Hull Fiberglass Stringer System Laminated into Hull Bow Locker / Seat Non-Skid Rubber Floor Panels Plastic External Transom Plate Aluminum Internal Transom Plate Orca (CSM) 1670 D-tex Five Layer Coated Professional Use Fabric 4 Push Plastic Non-Corrosive 2 Stage Inflation Valves Pressure Relief Valves Raised Double Solid Rub Rail Stainless Steel Bow Eye 4 Stainless Steel Davit Lifting Points Stainless Steel Tow Ring & Tie Downs **Deck Condensation Plug** Deck Drain with Plug 1 Front & 4 Side Orca (CSM) Heavy Duty Fabric Handles on Tubes 4 Layer Reinforced Seams Paddles with Aluminum Shaft Paddle Holders Hand Pump Maintenance Kit Owner&#39:s Manual Additional Air Retaining Chamber Under the Floor Non-Skid (CSM) Coated Fabric On Tube Surface Lifeline Around Tube Rubber Protector on Full Length of Keel

#### **Optional Equipment**

Boat Cover Chock Set Bow Step with Fold Down Stainless Steel Cleat Bow Step with Fold Down Stainless Steel Cleat & Running Lights Lateral Fold Down Stainless Steel Cleat Fiberglass Console Fiberglass Console with Forward Seat Bench Seat with Storage Single Person Jockey Console Two Person Jockey Console Customized Aluminum Consoles, Jockey Consoles and Jockey Seats Light Arch 360 White Light Navigation Pole Mechanical or Hydraulic Steering System Stainless Steel Steering Wheel Automatic Bilge Pump 500 GPH **Battery Charger** Integrated Marine Grade Aluminum Fuel Tank Closed Cell Foam Upholstery 3 Inch Drain Scuppers

GALLERY

