McMichael Yacht Brokers 447 East Boston Post Road Mamaroneck, NY 10543 Phone: 877.606.0401

AB Inflatables Profile A16-S

Boat Type: Inflatable



OVERVIEW

AB Inflatables introduces the all new swift water shallow V "AS-Series". AB is constantly looking at the needs in the Rescue and Commercial industries. This new versatile use series will get into shallow flood waters without fear of what is below as well as handling the swift waters of rivers or flooded streams. Combining the best of all worlds with marine grade aluminum and 1670 D-tex CSM fabric making them the most durable boat on the market. With their open design and a variety of seats and consoles they can be customized for any use.

- Overall Length: 16' / 4,88m
- Overall Beam: 7' / 2,14m
- Inside Length: 12'8" / 3,85m
- Inside Beam: 3'6" / 1,08m
- Tube Diameter: 21" / 0,53m
- Person Capacity: 10
- Weight: 480 lbs / 218 kg **
- Recommended HP: 50hp / 37.3kw
- Maximum HP: 50hp / 37.3kw

×

- Shaft Length: 60" / 44,8cm
- RDC Design Category: C

(**) Weight spec applies for models without bow locker. Add 7 kg / 15 lbs for models 12-16.

SPECIFICATIONS Basic Information Manufacturer: **AB** Inflatables Boat Type: Inflatable Model: Profile A16-S Aluminum Hull Material: Year: 2018 Hull Type: Deep Vee Category: Power **Dimensions & Weight** 16.00 ft Draft - max: Length: LOA: 16 ft - 4.88 meter Bridge Clearance: Beam: 7 ft - 2.13 meter Dry Weight: 480 ft Deadrise Aft: _ **Tank Capacities** Fuel Tank: Holding Tank: _ Fresh Water Tank: -Accommodations Total Cabins: Crew Cabins: _ Total Berths: Crew Berths: _ **Total Sleeps:** Crew Sleeps: Total Heads: Crew Heads: -Captains Cabin: No

FEATURES

Standard Equipment

Marine Grade Aluminum Shallow "V" Hull 3 Heavy Duty Transom Knees Welded Aluminum Stringer System Non-Skid Rubber Floor Panels Plastic External Transom Plate Aluminum Internal Transom Plate Aluminum Bow Eye 3-4 Aluminum Davit Lifting Points Aluminum Transom Tie Down & Towing Rings Aluminum Bow Tie Down & Towing Rings Deck Drain with Plug Orca (CSM) 1670 Five Layer Coated Professional Use Fabric Raised Double Solid Rub Rail Push Plastic Non-Corrosive 2 Stage Inflation Valves Pressure Relief Valves 1 Front & 5 Side Orca (CSM) Heavy Duty Fabric Handles on Tubes Paddles with Aluminum Shaft Paddle Holders Hand Pump Maintenance Kit Owner's Manual 4 Layer Reinforced Seams Rubber Protector on Full Length of Keel 3 Inch Drain Scuppers Non-Skid (CSM) Coated Fabric On Tube Surface Lifeline Around Tube

Optional Equipment

Bow Locker/Seat Boat Cover Bow Step with Fold Down Stainless Steel Cleat Lateral Fold Down Stainless Steel Cleat Fiberglass Console Fiberglass Console with Forward Seat Bench Seat with Storage One Person Jockey Console Two Person Jockey Console Aluminum Console Customized Aluminum Consoles, Jockey Consoles & Seats Mechanical or Hydraulic Steering System Stainless Steel Steering Wheel GALLERY



McMichael Yacht Brokers 447 East Boston Post Road Mamaroneck, NY 10543 Phone: 877.606.0401