



Jefferson Beach Yacht Sales
24400 Jefferson Avenue,
St. Clair Shores, MI 48080
Phone: 866-490-5297

Sunseeker Hawk 38

Boat Type: High Performance Boat



OVERVIEW

Never one to rest on their laurels and following several years of speculation, Sunseeker announces the forthcoming launch of a brand new high performance day boat – the Hawk 38. Sunseeker has returned to its performance roots to deliver an exciting and dynamic stepped hull in conjunction with Fabio Buzzi Design, winner of 43 World Speed Records and 55 World Championships!

Whilst the incredible design, features and equipment delivers ultimate day-boat appeal, its searing performance will ensure it's always first to the best anchorage or beach restaurant. With a choice of paint finishes and upholstery, it will also make the ultimate superyacht chase boat; no two boats are ever likely to be the same.

Drawing on the company's racing heritage, the new high performance model will be capable of a leisurely 70mph (62kts) 'out of the box' with standard twin Mercury 400R outboards mated to Mercury Racing Digital Zero Effort throttles. The hull has been optimised to take advantage of the latest outboard engine technology giving not only performance benefits but also low cost maintenance for clients.

Sunseeker has always dominated this area and will continue to do so with this technologically advanced cutting-

edge new model.

SPECIFICATIONS

Basic Information

Manufacturer:	Sunseeker	Boat Type:	High Performance Boat
Model:	Hawk 38	Hull Material:	
Hull Type:		Category:	Power

Dimensions & Weight

Length:	38.00 ft	Draft - max:	-
LOA:	38 ft 11 in - 11.86 meter	Bridge Clearance:	-
Beam:	9 ft 9 in - 2.97 meter	Dry Weight:	-
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	172 gallons - 1 tank(s)	Holding Tank:	-
Fresh Water Tank:	26 gallons - 1 tank(s)		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Length overall– (outboards down)	11.85m	38'11"
Beam (inflated tubes)	3.01m	9'9"
Beam (deflated tubes)	2.32m	7'8"
Displacement– (@ half load)	5,000Kg	11,020lbs
Fresh water capacity	100 litres	26 US gal.
Fuel capacity	700 litres	172 US gal.

GALLERY

