Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100

AB Inflatables Nautilus 11 DLX

Boat Type: Inflatable



OVERVIEW

Beautifully crafted with elegant lines and painstaking attention to detail, the Nautilus series is our premier line of luxury tenders. The Nautilus line was created with the discerning yachtsman in mind. Its superior design is a reflection of the exceptional performance, comfort, and style sought by our most demanding customers. Each Nautilus model is meticulously hand crafted using only the finest materials, and richly appointed with an impressive array of amenities. The Nautilus series offers outstanding maneuverability, making these boats a pleasure to pilot whether in open water or high-traffic harbors. Nautilus models are the tenders of choice for yacht owners and captains who will accept only the best.

- Overall Length: 11’/ 3.35m
- Overall Beam: 5’10” / 1.78m
- Inside Length: 8’/ 2.44m
- Inside Beam: 2’7” / 0.79m
- Tube Diameter: 17”/ 0.43m
- Number of Chambers: 3
- Person Capacity: 4
- Weight: 440 lbs / 200kg

- Recommended HP: 30hp / 22.4kw
- Maximum HP: 40hp / 29.8kw
- Shaft Length: 20” / 50.8cm
- RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Nautilus 11 DLX	Hull Material:	Fiberglass
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	11.00 ft	Draft - max:	-
LOA:	11 ft - 3.35 meter	Bridge Clearance:	-
Beam:	5 ft 10 in - 1.78 meter	Dry Weight:	440 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Aluminum Internal Transom Plate
Splash well, Draining
One All Integrated Deck with Bow Front & Lateral Closed Cell Cushions
1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
Raised Double Rub Rail
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
Orca (CSM) Five Layer Coated Fabric
Hand Pump
Maintenance Kit
Owner's Manual

Closed Cell Foam Upholstery
Port Boat Entrance Step with Diamond Shape Non-Skid
Integrated Fiberglass Console with Lateral Seat & Cushion
Molded-In Stern Seat & Cushion with Armrest & Large Storage
4 Deck Drains
Hull Drain with Plug
Bow Locker/Seat
Bow Hatch Cushion
Built-In Cooler with Cushion
Console Front Access Lid
Bow Step with Fold Down Stainless Steel Cleat & Running Lights
360° White Light Navigation Pole
Integrated Stainless Steel Bow Port & Starboard Hand Rails
Lateral Fold Down Stainless Steel Cleat
3 Stainless Steel Davit Lifting Points
Stainless Steel Console Grab Handle
Stainless Steel Tie Down & Towing Rings
Stainless Steel Bow Eye
Stainless Steel Transom Tie Down & Towing Rings
Deluxe Carbon Fiber Style Pannel
4 Waterproof Rocker Switches with Circuit Brakers
Battery Box
Battery Switch
Fuel and Water Separator Filter
Sending Unit
Automatic Bilge Pump 500 GPH
Battery Charger
Mechanical Steering System
Stainless Steel Steering Wheel
Complete Tin Wiring & (Head) Heat Shrink Seal Terminals
3 Layers Reinforced Seams

Optional Equipment

Stainless Steel Light Arch
Bimini Top
Chock Set
Boat Cover
Console Cover
Lifting Harness
Teak Floor
CD/Radio System
Compass
GPS
VHF Package

Attachment

- Accessories and Parts
- Chock and Davit Information
- CAD Drawing

GALLERY










Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100