**McMichael Yacht Brokers** 

447 East Boston Post Road Mamaroneck, NY 10543

Phone: 877.606.0401

# AB Inflatables Oceanus 14 VST

Boat Type: Inflatable



#### **OVERVIEW**

Our Oceanus line of console tenders was designed for professionals and cruisers who depend on serious performance and comfort. These boats feature AB's unique forward-hull design, making them the most spacious console tenders on the market. The extra-deep V-hull and innovative tube design allows the Oceanus to cut through the water with unsurpassed grace, virtually eliminating unwanted spray, for a truly exhilarating cruising experience.

Oceanus boats feature comfortable, upholstered seating, smartly designed consoles, and ample storage lockers that keep gear dry and safe. Boaters looking for an extremely seaworthy, highperformance, rigid inflatable will be pleased to know that several Oceanus models were originally designed for the Italian Coast Guard. With its spacious interior, impressive maneuverability, and sporty design, it's easy to understand why Oceanus boats are the first choice of so many sport's enthusiasts, yacht clubs and professional organizations around the globe.

Overall Length: 14' / 4.27m
Overall Beam: 6'5" / 1.96m
Inside Length: 10'10" / 3.30m

Inside Beam: 3' 1" / 0,94mTube Diameter: 19" / 0.48m

Number of Chambers: 5Person Capacity: 8

• Weight: 510lb / 232kg

Recommended HP: 50hp / 37.3kw
Maximum HP: 70hp / 52.2kw
Shaft Length: 20" / 50.8cm
RDC Design Category: C

## **SPECIFICATIONS**

## **Basic Information**

Manufacturer: AB Inflatables Boat Type: Inflatable

Model: Oceanus 14 VST Hull Material: Fiberglass

Year: 2017 Hull Type: Deep Vee

Category: Power

# **Dimensions & Weight**

Length: 14.00 ft Draft - max:

LOA: 14 ft - 4.27 meter Bridge Clearance: -

Beam: 6 ft 5 in - 1.96 meter Dry Weight: 510 ft

Deadrise Aft: -

# **Tank Capacities**

Fuel Tank: - Holding Tank: -

Fresh Water Tank: -

#### **Accommodations**

Total Cabins: - Crew Cabins: -

Total Berths: - Crew Berths: -

Total Sleeps: - Crew Sleeps: -

Total Heads: - Crew Heads: -

Captains Cabin: No

#### **FEATURES**

## **Standard Equipment**

Hand Laid Fiberglass Deep "V" Hull
Stringer System Laminated into Hull
Diamond Shape Non-skid Deck
Integrated Marine Grade Aluminum Fuel Tank
Plastic External Transom Plate
Aluminum Internal Transom Plate

Splash well, Draining

1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes

2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes

1 Port Inside Transom Set of 2 Orca (CSM) Fabric Handles on Tubes

2 Stainless Steel Bow Handles on Tubes

Raised Double Rub Rail

Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

Orca (CSM) Five Layer Coated Fabric

Hand Pump

Maintenance Kit

Owner's Manual

Closed Cell Foam Upholstery

Fiberglass Console with Forward Seat & Cushion

Integrated Stern Seat with Storage

2 Deck Drain & Hull Drain with Plug

Bow Locker/Seat

Bow Hatch Cushion

Console Front Access Lid

Bow Step with Fold Down Stainless Steel Cleat & Running Lights

360° White Light Navigation Pole

Stainless Steel Grab Handles on Tubes

Lateral Fold Down Stainless Steel Cleat

4 Stainless Steel Davit Lifting Points

Stainless Steel Bow Eye

Stainless Steel Tow Rings & Tie Downs

Stainless Steel Console Grab Rail

Plexiglass Windshield

Deluxe Carbon Fiber Style Pannel

4 Waterproof Rocker Switches with Circuit Brakers

**Battery Box** 

**Battery Switch** 

Fuel and Water Separator Filter

Sending Unit

Automatic Bilge Pump 500 GPH

Mechanical Steering System

Stainless Steel Steering Wheel

Complete Tin Wiring & Heat Shrink Sealed Terminals

3 Layers Reinforced SeamsOptional Equipment

### **Optional Equipment**

Stainless Steel Ski Tow

Stainless Steel Light Arch

Bimini Top with Stainless Steel Tubing

Chock Set

**Boat Cover** 

Console Cover

Lifting Harness

Teak Floor

CD/Radio System

Compass GPS VHF Package

# **Attachment**

- Accessories and Parts
- CAD Drawing
- Chock & Davit Information

# **GALLERY**













McMichael Yacht Brokers 447 East Boston Post Road Mamaroneck, NY 10543

Phone: 877.606.0401