Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100

AB Inflatables Alumina 9.5 ALX

Boat Type: Inflatable



OVERVIEW

Combining the sporty and stylish design of our Oceanus series with the durability and light weight of our Lammina series, the Alumina line is ideal for those who require a rugged, yet lightweight tender. Our Alumina series offers a full-featured console tender that is light enough to meet the requirements of limited capacity davits.

Each Alumina model is equipped with a heavy duty aluminum hull that will resist abrasions from rocky shores, coral and sandy beaches. The lightweight of this hull also means that Alumina boats claim excellent fuel economy and can reach cruising speeds with less horsepower. In addition, the Alumina series features comfortable upholstered seating, smartly designed fiberglass consoles, full hull length rubber keel protector, ample storage space and an integrated bow locker.

- Overall Length: 9' 6" / 2,90m
- Overall Beam: 5' 6" / 1,68m
- Inside Length: 6' 11" / 2,11m
- Inside Beam: 2' 6" / 0,76m
- Tube Diameter: 17" / 0,43m

×

- Number of Chambers: 3
- Person Capacity: 5
- Weight: 249 lbs / 113kg (Preliminary)
- Recommended HP: 15hp / 11,2kw
- Maximum HP: 20hp / 14,9kw
- Shaft Length: 20" / 50.8 cm
- RDC Design Category: C

SPECIFICATIONS Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Alumina 9.5 ALX	Hull Material:	Aluminum
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	9.00 ft	Draft - max:	-
LOA:	9 ft 6 in - 2.9 meter	Bridge Clearance:	-
Beam:	5 ft 6 in - 1.68 meter	Dry Weight:	249 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Deep "V" Marine GRADE Aluminum Hull Stringer System Welded under Aluminum Deck Heavy Duty Transom Knees Non-Skid Rubber Floor Panels Plastic External Transom Plate Aluminum Internal Transom Plate Aluminum Bow Eye 4 Aluminum Davit Lifting Points AluminumTransom Tie Down & Towing Rings Aluminum Bow Tie Down & Towing Rings Deck Drain with Plug Orca (CSM) Five Layer Coated Fabric Raised Single Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes 2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes 2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes Hand Pump Maintenance Kit Owner':s Manual Closed Cell Foam Upholstery Fiberglass Console Small Bench Seat with Storage Bow Locker/Seat Bow Hatch Cushion Console Access Lid 360° White Light Navigation Pole Stainless Steel Console Grab Rail **Battery Box Battery Switch** Fuel and Water Separator Filter Mechanical Steering System Stainless Steel Steering Wheel Complete Tin Wiring & Heat Shrink Sealed Terminals 3 Layers Reinforced Seams Rubber Protector on Full Length of Keel

Optional Equipment

Boat Cover Chock Set Transom Ladder Bimini Top with Stainless Steel Tubing Console Cover Lifting Harness Teak Floor CD/Radio System Compass GPS VHF Package

Attachment

• Accessories and Parts

<u>CAD Drawing</u>

<u>Chock & Davit Information</u>

GALLERY



×

Yachting Solutions 229 Commercial Street Rockport, ME, US Phone: (207) 236-8100