



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100

AB Inflatables Alumina 15 ALX

Boat Type: Inflatable



OVERVIEW

Combining the sporty and stylish design of our Oceanus series with the durability and light weight of our Lammina series, the Alumina line is ideal for those who require a rugged, yet lightweight tender. Our Alumina series offers a full-featured console tender that is light enough to meet the requirements of limited capacity davits.

Each Alumina model is equipped with a heavy duty aluminum hull that will resist abrasions from rocky shores, coral and sandy beaches. The lightweight of this hull also means that Alumina boats claim excellent fuel economy and can reach cruising speeds with less horsepower. In addition, the Alumina series features comfortable upholstered seating, smartly designed fiberglass consoles, full hull length rubber keel protector, ample storage space and an integrated bow locker.

- Overall Length: 15' / 4,57m
- Overall Beam: 6' 9" / 2,06m
- Inside Length: 11' 8" / 3,55m
- Inside Beam: 3' 4" / 1,03m
- Tube Diameter: 19" / 0,48m

- Number of Chambers: 5
- Person Capacity: 9
- Weight: 392lbs / 178kg
- Recommended HP: 50hp / 37,3kw
- Maximum HP: 60hp / 44,8kw
- Shaft Length: 20" / 50,8cm
- RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Alumina 15 ALX	Hull Material:	Aluminum
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	15.00 ft	Draft - max:	-
LOA:	15 ft - 4.57 meter	Bridge Clearance:	-
Beam:	6 ft 9 in - 2.06 meter	Dry Weight:	392 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Deep "V" Marine GRADE Aluminum Hull
 Stringer System Welded under Aluminum Deck
 Heavy Duty Transom Knees
 Non-Skid Rubber Floor Panels
 Plastic External Transom Plate
 Aluminum Internal Transom Plate

Aluminum Bow Eye
4 Aluminum Davit Lifting Points
Aluminum Transom Tie Down & Towing Rings
Aluminum Bow Tie Down & Towing Rings
Deck Drain with Plug
Orca (CSM) Five Layer Coated Fabric
Raised Double Rub Rail
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes
2 Inside Bow Sets of Quadruple Orca (CSM) Fabric Handles on Tubes
2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes
Hand Pump
Maintenance Kit
Owner's Manual
Closed Cell Foam Upholstery
Fiberglass Console with Forward Seat & Cushion
Bench Seat with Storage
Bow Locker/Seat
Bow Hatch Cushion
Console Access Lid
Bow Step with Fold Down Stainless Steel Cleat & Running Lights
360° White Light Navigation Pole
Lateral Fold Down Stainless Steel Cleat
Stainless Steel Console Grab Rail
Plexiglass Windshield
Deluxe Carbon Fiber Style Panel
4 Waterproof Rocker Switches with Circuit Breakers
Battery Box
Battery Switch
Fuel and Water Separator Filter
Mechanical Steering System
Stainless Steel Steering Wheel
Complete Tin Wiring & Heat Shrink Sealed Terminals
3 Layers Reinforced Seams
Rubber Protector on Full Length of Keel

Optional Equipment

Tube Chaps
Boat Cover
Chock Set
Transom Ladder
Bimini Top with Stainless Steel Tubing
Console Cover
Lifting Harness
Teak Floor
CD/Radio System
Compass
GPS
VHF Package

Attachment

- [Accessories and Parts](#)
- [CAD Drawing](#)
- [Chock & Davit Information](#)

GALLERY



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100