



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100

# AB Inflatables Navigo 8 VS

Boat Type: Inflatable



## OVERVIEW

The Navigo series is our premier line of open tenders. Hand crafted with careful consideration to every detail, these boats are designed for maximum performance, comfort, and durability. The Navigo series features AB's unique forward-hull design, making them the most spacious tenders on the market. In addition, all Navigo models are equipped with all the amenities sought by serious boaters, including: a large bow locker with seating, diamond pattern non-skid fiberglass deck, a double rub rail, four davit lifting rings, heavy-duty rubber carry handles, and much more. The raised bow and large-diameter tubes provide for the driest and most comfortable ride of any open tender on the market. The Navigo line will impress even the most discriminating boater.

- Overall Length: 8'6" / 2,60m
- Overall Beam: 5'4" / 1,64m
- Inside Length: 5'10" / 1,79m
- Inside Beam: 2'4" / 0,72m
- Tube Diameter: 16" / 0,40m
- Number of Chambers: 3+1
- Person Capacity: 4

- Weight: 125lbs / 57kg
- Recommended HP: 8hp / 6,0kw
- Maximum HP: 10hp / 7,5kw
- Shaft Length: 15" / 38,1cm
- RDC Design Category: C

## SPECIFICATIONS

### Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Navigo 8 VS	Hull Material:	Fiberglass
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

### Dimensions & Weight

Length:	8.00 ft	Draft - max:	-
LOA:	8 ft 6 in - 2.59 meter	Bridge Clearance:	-
Beam:	5 ft 4 in - 1.62 meter	Dry Weight:	125 ft
Deadrise Aft:	-		

### Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

### Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

## FEATURES

### Standard Equipment

Hand Laid Fiberglass Deep "V" Hull  
 Stringer System Laminated into Hull  
 Bow Locker/Seat  
 Diamond Shape Non-Skid Deck  
 Plastic External Transom Plate  
 Aluminum Internal Transom Plate with Security Lip  
 Orca (CSM) Five Layer Coated Fabric  
 3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

Raised Double Rub Rail  
Stainless Steel Bow Eye  
4 Stainless Steel Davit Lifting Points  
Stainless Steel Tow Rings & Tie Downs  
Deck Condensation Plug  
Deck Drain with Plug  
1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes  
2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes  
2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes  
3 Layers Reinforced Seams  
Oarlock Base  
Telescopic Oars with Aluminum Shaft  
Paddle Holders  
Removable Rowing Seat  
Hand Pump  
Maintenance Kit  
Owner's Manual  
Additional Air Retaining Chamber Under the Floor

### **Optional Equipment**

Bow Hatch Cushion  
Tube Chaps  
Boat Cover  
Chock Set  
Bow Step with Fold Down Stainless Steel Cleat  
Lateral Fold Down Stainless Steel Cleat

### **Attachment**

- [Accessories and Parts](#)
- [CAD Drawing](#)
- [Chock & Davit Information](#)

GALLERY



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100