



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100

AB Inflatables Navigo 12 VS

Boat Type: Inflatable



OVERVIEW

The Navigo series is our premier line of open tenders. Hand crafted with careful consideration to every detail, these boats are designed for maximum performance, comfort, and durability. The Navigo series features AB's unique forward-hull design, making them the most spacious tenders on the market. In addition, all Navigo models are equipped with all the amenities sought by serious boaters, including: a large bow locker with seating, diamond pattern non-skid fiberglass deck, a double rub rail, four davit lifting rings, heavy-duty rubber carry handles, and much more. The raised bow and large-diameter tubes provide for the driest and most comfortable ride of any open tender on the market. The Navigo line will impress even the most discriminating boater.

- Overall Length: 12' 3" / 3,66m
- Overall Beam: 6' / 1.82m
- Inside Length: 8' 9" / 2,67m
- Inside Beam: 2' 9" / 0,84m
- Tube Diameter: 18" / 0,46m
- Number of Chambers: 3+1
- Person Capacity: 6

- Weight: 202lbs / 92kg
- Recommended HP: 20hp / 14,9kw
- Maximum HP: 30hp / 22,4kw
- Shaft length option 1: 15" / 38,1cm
- Shaft length option 2: 20" / 50,8cm
- RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Navigo 12 VS	Hull Material:	Fiberglass
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

Dimensions & Weight

Length:	12.00 ft	Draft - max:	-
LOA:	12 ft - 3.66 meter	Bridge Clearance:	-
Beam:	6 ft - 1.83 meter	Dry Weight:	202 ft
Deadrise Aft:	-		

Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

FEATURES

Standard Equipment

Hand Laid Fiberglass Deep "V" Hull
 Stringer System Laminated into Hull
 Bow Locker/Seat
 Diamond Shape Non-Skid Deck
 Plastic External Transom Plate
 Aluminum Internal Transom Plate with Security Lip
 Orca (CSM) Five Layer Coated Fabric

3 Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
Raised Double Rub Rail
Stainless Steel Bow Eye
4 Stainless Steel Davit Lifting Points
Stainless Steel Tow Rings & Tie Downs
Deck Condensation Plug
Deck Drain with Plug
1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes
2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes
3 Layers Reinforced Seams
Paddles with Aluminum Shaft
Paddle Holders
Removable Stern Seat
Hand Pump
Maintenance Kit
Owner's Manual
Additional Air Retaining Chamber Under the Floor

Optional Equipment

Bow Hatch Cushion
Tube Chaps
Boat Cover
Chock Set
Bow Step with Fold Down Stainless Steel Cleat
Lateral Fold Down Stainless Steel Cleat
Removable Rowing Seat
Bimini Top
Fiberglass Console
Fiberglass Console with Forward Seat
Bench Seat with Storage
Two Person Jockey Seat
Stainless Steel Helm Unit

Attachment

- [Accessories and Parts](#)
- [CAD Drawing](#)
- [Chock & Davit Information](#)

GALLERY



Yachting Solutions
229 Commercial Street
Rockport, ME, US
Phone: (207) 236-8100