

McMichael Yacht Brokers

447 East Boston Post Road Mamaroneck, NY 10543

Phone: 877.606.0401

AB Inflatables Ventus 8 VL

Boat Type: Inflatable



OVERVIEW

Ventus – Latin for "air" – is our line of lightweight tenders. With their low weight to length ratio and balanced design, Ventus boats require very little horsepower to achieve astonishing performance and speeds. They sport a full V-shape hull that runs the entire length of the boat, providing exceptional tracking and stability. Ventus models are the only lightweight boats on the market with an additional air chamber built into the hull. This air chamber makes the Ventus line extremely safe and reliable, while providing a level non-skid floor to keep your cargo and passengers dry. Ventus boats make ideal tenders with plenty of room for carrying crew and provisions.

Overall Length: 8' 6" / 2,60m
Overall Beam: 5' 6" / 1,68m
Inside Length: 5' 10" / 1,79m

Inside Beam: 2'4" / 0,72m
Tube Diameter: 16" / 0,40m
Number of Chambers: 3+1

Person Capacity: 4Weight: 95lbs / 43kg

Recommended HP: 8hp / 6,0kw
Maximum HP: 10hp / 7,5kw
Shaft Length: 15" / 38,1cm
RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer: AB Inflatables Boat Type: Inflatable

Model: Ventus 8 VL Hull Material: Fiberglass

Year: 2017 Hull Type: Deep Vee

Category: Power

Dimensions & Weight

Length: 8.00 ft Draft - max: -

LOA: 8 ft 6 in - 2.59 meter Bridge Clearance: -

Beam: 5 ft 6 in - 1.68 meter Dry Weight: 95 ft

Deadrise Aft: -

Tank Capacities

Fuel Tank: - Holding Tank: -

Fresh Water Tank: -

Accommodations

Total Cabins: - Crew Cabins:

Total Berths: - Crew Berths: -

Total Sleeps: - Crew Sleeps: -

Total Heads: - Crew Heads: -

Captains Cabin: No

FEATURES

Standard Equipment

Hand Laid Fiberglass Deep "V" Hull
Stringer System Laminated into Hull
Non-Skid Rubber Floor Panels
Plastic External Transom Plate
Aluminum Internal Transom Plate with Security Lip
Stainless Steel Bow Eye
3 Stainless Steel Davit Lifting Points
Inner Hull Drain with Plug
Deck Condensation Plug

Orca (CSM) Five Layer Coated Fabric

Raised Single Rub Rail

Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes

2 Inside Bow Sets of 2 Orca (CSM) Fabric Handles on Tubes

2 Inside Stern Single Orca (CSM) Fabric Handles on Tubes

Removable Rowing Seat

Oarlock Base

Telescopic Oars with Aluminum Shaft

Paddle Holders

Hand Pump

Maintenance Kit

Owner's Manual

Additional Air Retaining Chamber Under the Floor

3 Layers Reinforced Seams

Optional Equipment

Tube Chaps

Boat Cover

Chock Set

Bow Step with Fold Down Stainless Steel Cleat

Lateral Fold Down Stainless Steel Cleat

Attachment

- Accessories and Parts
- CAD Drawing
- Chock & Davit Information

GALLERY











McMichael Yacht Brokers 447 East Boston Post Road Mamaroneck, NY 10543

Phone: 877.606.0401