



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100

# AB Inflatables Lammina 13 AL

Boat Type: Inflatable



## OVERVIEW

Lammina is the first line of marine-grade, aluminum-hull inflatables to reach the U.S. market. The Superlight models, available in lengths 9,5 feet and under, feature a 2,28mm (0.090") aluminum hull. The rest of the line, available in lengths 10 feet and larger, sports a 3,17mm (0.125") aluminum hull. The transom thickness on models 8 to 10 feet is 3,17mm (0.125") and from models 11 to 16 feet is 4,7mm (0.190"). These tough, lightweight and durable aluminum hulls will resist abrasions from rocky shores, coral and sandy beaches. The innovative design of the Lammina series cuts through wakes and chop with far less pounding. The result is an exceptionally dry, stable and superior ride.

- Overall Length: 13'7" / 3.96m
- Overall Beam: 6'7" / 2,00m
- Inside Length: 9'10" / 3.00m
- Inside Beam: 3'3" / 0.99m
- Tube Diameter: 18" / 0.46m
- Number of Chambers: 3
- Person Capacity: 7
- Weight: 220lb / 100kg

- Recommended HP: 30 hp / 22.4 kw
- Maximum HP: 40 hp / 29.8 kw
- Shaft Length: 20" / 50.8 cm
- RDC Design Category: C

## SPECIFICATIONS

### Basic Information

Manufacturer:	AB Inflatables	Boat Type:	Inflatable
Model:	Lamina 13 AL	Hull Material:	Aluminum
Year:	2017	Hull Type:	Deep Vee
Category:	Power		

### Dimensions & Weight

Length:	13.00 ft	Draft - max:	-
LOA:	13 ft - 3.96 meter	Bridge Clearance:	-
Beam:	6 ft 7 in - 2.01 meter	Dry Weight:	220 ft
Deadrise Aft:	-		

### Tank Capacities

Fuel Tank:	-	Holding Tank:	-
Fresh Water Tank:	-		

### Accommodations

Total Cabins:	-	Crew Cabins:	-
Total Berths:	-	Crew Berths:	-
Total Sleeps:	-	Crew Sleeps:	-
Total Heads:	-	Crew Heads:	-
Captains Cabin:	No		

## FEATURES

### Standard Equipment

Deep "V" Marine Grade Aluminum Hull  
 Heavy Duty Transom Knee  
 Stringer System Welded Under Aluminum Deck  
 Non-Skid Rubber Floor Panels  
 Plastic External Transom Plate  
 Aluminum Internal Transom Plate  
 Aluminum Bow Eye  
 3-4 Aluminum Davit Lifting Points  
 Aluminum Transom Tie Down & Towing Rings

Aluminum Bow Tie Down & Towing Rings  
Deck Drain with Plug  
Orca (CSM) Five Layer Coated Fabric  
Raised Double Rub Rail  
Push Push Plastic Non-Corrosive 2 Stage Inflation Valves  
1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes  
2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes  
2 Inside Stern Double Orca (CSM) Fabric Handles on Tubes  
Paddles with Aluminum Shaft  
Paddle Holders  
Hand Pump  
Maintenance Kit  
Owner's Manual  
3 Layers Reinforced Seams  
Rubber Protector on Full Length of Keel


### **Optional Equipment**

Bow Locker/Seat  
Tube Chaps  
Boat Cover  
Chock Set  
Bow Step with Fold Down Stainless Steel Cleat  
Lateral Fold Down Stainless Steel Cleat  
Fiberglass Console  
Fiberglass Console with Forward Seat  
Bench Seat with Storage  
One Person Jockey Seat  
Two Person Jockey Seat  
Stainless Steel Helm Unit

### **Attachment**

- [Accessories and Parts](#)
- [CAD Drawing](#)
- [Chock & Davit Information](#)

GALLERY



**Yachting Solutions**  
229 Commercial Street  
Rockport, ME, US  
Phone: (207) 236-8100