McMichael Yacht Brokers

447 East Boston Post Road Mamaroneck, NY 10543

Phone: 877.606.0401

AB Inflatables Lammina 16 AL

Boat Type: Inflatable



OVERVIEW

Lammina is the first line of marine-grade, aluminum-hull inflatables to reach the U.S. market. The Superlight models, available in lengths 9,5 feet and under, feature a 2,28mm (0.090") aluminum hull. The rest of the line, available in lengths 10 feet and larger, sports a 3,17mm (0.125") aluminum hull. The transom thickness on models 8 to 10 feet is 3,17mm (0.125") and from models 11 to 16 feet is 4,7mm (0.190"). These tough, lightweight and durable aluminum hulls will resist abrasions from rocky shores, coral and sandy beaches. The innovative design of the Lammina series cuts through wakes and chop with far less pounding. The result is an exceptionally dry, stable and superior ride.

Overall Length: 16' / 4.88m
Overall Beam: 7' / 2.14m
Inside Length: 12' 8" / 3.85m
Inside Beam: 3' 6" / 1.08m
Tube Diameter: 20" / 0.51m
Number of Chambers: 5

Person Capacity: 10Weight: 409lb / 186 kg

• Recommended HP: 50 hp / 37.3 kw

• Maximum HP: 60 hp / 44.8 kw

• Shaft Length: 20" / 50.8 cm

• RDC Design Category: C

SPECIFICATIONS

Basic Information

Manufacturer: AB Inflatables Boat Type: Inflatable

Model: Lammina 16 AL Hull Material: Aluminum

Year: 2017 Hull Type: Deep Vee

Category: Power

Dimensions & Weight

Length: 16.00 ft Draft - max:

LOA: 16 ft - 4.88 meter Bridge Clearance:

Beam: 7 ft - 2.13 meter Dry Weight: 409 ft

Deadrise Aft: -

Tank Capacities

Fuel Tank: - Holding Tank: -

Fresh Water Tank: -

Accommodations

Total Cabins: - Crew Cabins:

Total Berths: - Crew Berths: -

Total Sleeps: - Crew Sleeps: -

Total Heads: - Crew Heads: -

Captains Cabin: No

FEATURES

Standard Equipment

Deep "V" Marine Grade Aluminum Hull

Heavy Duty Transom Knee

Stringer System Welded Under Aluminum Deck

Non-Skid Rubber Floor Panels

Plastic External Transom Plate

Aluminum Internal Transom Plate

Aluminum Bow Eye

3-4 Aluminum Davit Lifting Points

AluminumTransom Tie Down & Towing Rings

Aluminum Bow Tie Down & Towing Rings

Deck Drain with Plug

Orca (CSM) Five Layer Coated Fabric

Raised Double Rub Rail

Push Push Plastic Non-Corrosive 2 Stage Inflation Valves

1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes

2 Inside Bow Sets of Quadruple Orca (CSM) Fabric Handles on Tubes

2 Inside Stern Sets of Triple Orca (CSM) Fabric Handles on Tubes

Paddles with Aluminum Shaft

Paddle Holders

Hand Pump

Maintenance Kit

Owner's Manual

3 Layers Reinforced Seams

Rubber Protector on Full Length of Keel

Optional Equipment

Bow Locker/Seat

Tube Chaps

Boat Cover

Chock Set

Bow Step with Fold Down Stainless Steel Cleat

Lateral Fold Down Stainless Steel Cleat

Fiberglass Console

Fiberglass Console with Forward Seat

Bench Seat with Storage

One Person Jockey Seat

Two Person Jockey Seat

Stainless Steel Helm Unit

Attachment

- Accessories and Parts
- CAD Drawing
- Chock & Davit Information

GALLERY









McMichael Yacht Brokers 447 East Boston Post Road Mamaroneck, NY 10543

Phone: 877.606.0401