

# 65' CONCORD



OUR 65' CONCORD INTRODUCES AN ENTIRELY NEW STANDARD FOR LUXURY AND PERFORMANCE.

## 65' Concord Features:

- Coastal Craft's Signature Marine Aluminum Construction ▪ Three Staterooms ▪ Three Heads
- Fly Bridge ▪ Spacious Main Salon ▪ Foredeck Lounge Pad ▪ Laundry Room ▪ Full Height Engine Room

Classification to CE Category B	Length overall	66' 9"
Built to ABYC Standards ( <i>where applicable</i> )	Length on deck	64' 6"
Twin Volvo® IPS1200 Propulsion	Length @ waterline	54' 0"
33 knots top speed	Beam - maximum	17' 0"
Large boarding/swim platform	Draft (half load)	5' 0"
Four helm stations including two aft docking stations	Height above waterline	24' 0"
Aft deck Settee with teak table	Transom deadrise	12 degrees
Fly bridge seating for seven	Fuel capacity	1330 US gal
Excellent sight lines from lower helm	Fresh water capacity	220 US gal
Spacious master stateroom with king bed	Black water capacity	125 US gal
Chef's galley	<b>Propulsion</b>	<b>Twin Volvo® IPS1200</b>
Sapele interior finish work	<b>Engine</b>	<b>Twin Volvo® D13-900</b>
Exterior teak decking	<b>Drives</b>	<b>Twin IPS3</b>
E-plex® multiplex (switching and monitoring)	<b>Propellers</b>	<b>Twin Volvo® "Q4"</b>
Full integrated marine navigation electronics	Max Speed (half load)	33 knots
Automatic fire suppression system	Max Cruising Speed (half load)	27 knots
Entertainment center	Range @ 26 knots	500 NM
Dometic Air conditioning (five zones)	Half Load Displacement	78,900 lbs
Awlgrip® yacht paint system	Fuel	Diesel
Interlux Tri-Lux antifouling bottom paint	CE Rating	Category B



**WINNER - BEST MOTORYACHT, 60-69 FEET**  
2014 AIM MARINE GROUP EDITOR'S CHOICE AWARD

### Design and Construction

#### ▪ Gregory C. Marshall Naval Architects, Ltd. Design

- CE Category B rating
- The hull, decks, superstructure and framing materials are all marine grade 5083-H116 aluminum alloy
- Welding procedures include aluminum Mig and Tig welding

### Insulating Materials and Procedures

- Sound dampening methods including isolation tiles and coatings applied to hull, bulkheads and superstructure
- Soundown insulating panels installed on bulkheads, deck heads and walls in machinery spaces
- Polyurethane foam insulation on all internal aluminum surfaces provide thermal insulation
- Engine space insulation includes insulated panes with powder coated perforated aluminum protective skins
- Nidacore panels are used throughout finishing construction and provide excellent insulating characteristics

### Exterior Finishing

- Awlgrip® yacht paint system
- Paint system includes finishing all exterior surfaces as well as mechanical etching, etch primer, primer, fairing, final primers and topcoats. Lockers and mechanical spaces included.
- Interlux Tri-Lux antifouling bottom paint system

### Exterior Deck Hardware

- All exterior deck fittings and fasteners are 316 stainless steel
- 2" stainless steel oval bow rails around perimeter of main deck and boarding stairwells
- Eight 12" stainless steel cleats including two on swim platform
- Two stern hawse pipes
- Anchor pocket and roller assembly (mounted through raised Bulwarks)
- Stainless steel grill fixtures mounted in hull side recess on both port and starboard side. *Note: Dissimilar metals isolation practices applied on all fasteners and hardware.*
- Exterior 3/8" teak decking on all main exterior decks including swim platform
- Two swim platform staple rails

### Anchoring

- Lewmar CPX5 (24V) anchor windless (up/down and free fall) (3 station remote – lower and upper helm and foredeck)
- UA45 (99 lbs) Ultra® anchor (stainless steel) with a stainless anchor swivel
- The anchor rode consists of 200' x 3/8" anchor chain spliced to 300' x 1/2" anchor rope
- Stainless steel anchor stay (deck mounted)

### Windows, Doors and Deck Hatches

- Fritted glass - forward windshield panels (12mm)
- Fritted glass - cabin side windows, tinted (8mm)
- Stainless steel double hinged salon entry door, tinted
- Nine port lights (various sizes, shapes and locations)
- "Manship" stainless steel deck hatch (24" square) in foredeck with "Oceanair" screen/shade assembly
- Pantograph watertight transom door
- Two watertight transom locker doors
- Watertight engine room man door into lower deck accommodation space

### Swim Platform and Outer Transom

- 60" deep swim platform (full width) with port and starboard boarding stairwells onto aft cockpit deck area
- Two transom lockers with flush locker doors
- Glendinning HoseMaster with 75' fresh water hose and transom hot and cold shower
- Glendinning 240/50A CM-7 CableMaster (100' cord)
- A welded aluminum rub rail extends around the perimeter of the swim platform and 12' forward on either side, capped with a 2"x 3/8" stainless steel finishing rub strip.
- Two port and starboard Garelick boarding ladders (four step) that are recessed into hull beneath swim platform
- Five Imtra LED courtesy lights (deck level) on inside of port and starboard hull wings and in the transom

### Aft Cockpit

- Hardtop extends the length of the cockpit deck (inline with aft seating) with 12 Imtra LED down lights (recessed) with dimmer function
- Two Volvo® joystick controls (starboard and port side) provide docking convenience and ease
- The aft cockpit deck is self-bailing with deck scupper drains
- Cockpit settee upholstered in Sunbrella® upholstery fabric with a Sunbrella® canvas cover. The oval settee/dining table is high gloss teak with inlay border with stainless steel pedestal with Sunbrella® cover
- Two Jensen® waterproof speakers
- Two Garmin® GC 10 monitoring video cameras (*see navigation equipment*)
- Stainless steel fly bridge stairs with teak stair treads
- Port and starboard boarding stairs leading down to swim platform with hinged stainless steel gates at top of stairs
- Port side mini-bar with Isotherm Inox 160 combo fridge/freezer with icemaker

### Foredeck

- Lounge area with removable cushions
- Glendinning 240/50A CM-7 CableMaster Reel (with 75' cord)
- Anchor locker with access deck hatch (latched)
- Self-launching anchor roller assembly and fairlead

### Fly Bridge

- Mast accommodates radar scanner, satellite TV dome, satellite dummy dome, GPS sensors, VHF antennas, GSM antennas, flag staff with yard, two Imtra LED down lights
- Upper deck drains (port and starboard)
- Two Stidd helm seats with armrests mounted on cabinet
- U-shaped settee with seating for 5 (storage beneath) upholstered with outdoor fabric. Teak table with stainless steel pedestal.
- Summer kitchen cabinet with integrated electric grill, Isotherm Inox 85 combo fridge, freezer and bar sink.
- The upper helm/driving station includes an ergonomic and comfortable driving position.
- **Upper Helm includes the following equipment:**
  - Volvo® IPS tilt steering helm with Edson steering wheel
  - Volvo® dual engine binnacle mounts
  - Volvo® joystick controls
  - Volvo® 7" color engine management panel
  - EVC panel
  - Volvo® remote start/stop panel
  - Humphree Interceptor trim system control panel
  - E-plex® switch panel (6 bank)
  - Ritchie Navigator compass (stainless steel)
  - Remote searchlight controls
  - Garmin® GHC10 VHF radio
  - Remote with external speaker
  - Two stainless steel cup holders
  - Sunbrella® cover
- Two Garmin® 8215 MFD 15" touch screen displays
- Garmin® Autopilot Control Unit
- Two Jensen® waterproof speakers

### Main Deck

- Interior cabinets and selected joinery finished in Sapele
- Carpet flooring with underlay through main salon, stone flooring in galley
- Majilite® upholstered wall and ceiling panels
- Entry through rear double-hinged rear salon door
- Step Warm Floor "in-floor" heating
- **Port side configuration:**
  - Aft - coat/storage closet
  - Aft - TV/Entertainment cabinet
  - Mid - club chair
  - Mid - cabinet with leather top
  - Forward - U-shaped dinette settee with table (seating for 6)
- **Starboard side configuration:**
  - Aft - U-shaped lounge seating with coffee table
  - Mid - U-shaped galley (see detailed description)
  - Forward - helm position with two Stidd seats/position mounted on cabinet with storage beneath
- Companionway stairs to lower deck between helm seat and port settee on center line

### Galley:

- Includes upper and lower cabinets. U-shaped cabinets with partial full height bulkhead between galley and helm

#### **Lower cabinets include:**

- Drawers and cupboards with stainless steel flush latches
- Granite countertops and back splash
- Miele® (KFN9755 IDE) 24"d x 24"w x 69"l fridge/freezer with ice
- Miele® (KM5947) 24", three burner induction cooktop
- Miele® (H4042BM) built-in stainless steel convection microwave
- Fisher & Paykel DishDrawer™ dishwasher
- Blanco® Radius 10 stainless steel undermount sink
- Blanco® Silhouette single lever, pull out stainless galley faucet
- Four duplex AC outlets

#### **Upper cabinets with cupboard doors:**

- Galley hood/extraction fan in ceiling

### Master Stateroom (Full Beam)

- Interior cabinets and selected joinery finished in Sapele
- Wool carpet floor covering
- Majilite® wall and ceiling panels with select accent wood wall panels
- Imtra LED down lights
- Imtra LED alcove lighting
- Wall mounted 42" LCD HD flat screen TV with Blu-ray Disc™ player and Apple TV.
- **Cabin layout includes:**
  - Entry door located forward end of cabin slightly offset to port side
  - Island king (68"x 80") bed frame and platform (headboard aft against ensuite bulkhead). Drawers integrated into bed frame.
  - Built-in headboard with port and starboard night stands with drawers
  - Wall mounted lights positioned above each night stand
  - Upholstered/quilted headboard insert above bed
  - Built-in starboard side lounge with drawers beneath
  - Aft hanging locker, full height
  - Built-in port side cabinet with nine drawers, window height
  - Aft hanging locker
  - Vertical oval port and starboard side 'port lights' with framed valance and privacy screen/blind

### Master Ensuite with Shower

- Interior cabinets and selected joinery finished in Sapele
- Full height hanging locker located mid ships in Head
- Head walls finished in Sapele
- Shower walls and ceiling aluminum (faired and painted)
- ForzaStone® marble floor in head and shower
- ForzaStone® vanity countertops with double vanity sinks
- Wall mounted faucets
- Lower vanity cabinet includes drawers and cupboards
- Upper vanity cabinet includes mirrored doors with storage
- Two AC receptacles.
- Two towel bars
- Dometic 8700 MasterFlush toilet
- Shower with glass partition includes: Rainshower showerhead with temperature control valve, on/off valve, and three body spray heads

### VIP Stateroom (Forward)

- Interior cabinets and selected joinery finished in Sapele
- Wool carpet flooring
- Majilite ceiling and wall panels
- VIP Stateroom Cabin layout includes:
  - Entry door to aft of cabin (on centerline)
  - Queen V-Berth with step up platforms on each side
  - Port and starboard nightstands with wall mounted lights
  - Port and starboard full-height hanging lockers
  - Port and starboard side "Port Lights" with framed valance and privacy screen/blind
  - Ensuite entry door located aft and to port of cabin
  - Wall mounted 32" LCD HD Flat Screen TV with Blu-ray and Apple TV
  - Stainless steel Manship deck hatch (26") with Oceanair screen/shade
  - Imtra LED ceiling down lights, Alcove lighting and Cantalupi reading lights

### VIP Ensuite with Shower (Forward)

- Interior cabinets and selected joinery finished in Sapele
- Head walls finished in Sapele
- Shower walls and ceiling aluminum (faired and painted)
- ForzaStone® marble floors in head and shower
- ForzaStone® vanity countertops with ceramic drop-in vanity sink
- Wall mounted vanity faucets
- Lower vanity cabinet includes drawers and cupboard
- Upper vanity cabinet includes mirrored doors (full width)
- Shower with glass enclosure and door
- Majilite ceiling panel in Head portion only
- Dometic 8700 MasterFlush toilet
- AC receptacle
- Towel bar
- Extraction fan

### Guest Stateroom (Mid Cabin/Starboard Side)

- Interior cabinets and selected joinery finished in Sapele
- Wool carpet flooring
- Majilite ceiling and wall panels
- Wall mounted 32" LCD HD flat screen TV
- Guest Stateroom Cabin layout includes:
  - Entry door on starboard side of cabin from companionway hall
  - Two single berths (30" x 78") with a center walkway between
  - A center nightstand with AC receptacle and lower drawers located between the berths
  - A bank of built-in upper cabinets located above inboard berth
  - Full-height hanging locker located on outboard side of cabin at forward end of berth
  - Two horizontal oval "Port Lights" with framed valance and privacy screen/blind (outboard wall)

### Guest Ensuite with shower (Mid Cabin)

- Interior cabinets and selected joinery finished in Sapele
- Head walls finished in Sapele
- Shower walls and ceiling aluminum (faired and painted)
- ForzaStone® marble floors in head and shower
- ForzaStone® vanity countertops with ceramic drop in vanity sink
- Wall mounted vanity faucets
- Mirrored upper medicine cabinet
- Aquabress niu 67714 vanity faucet
- Blanco® Quadris 401043 soap dispenser
- Dometic 8700 MasterFlush toilet
- AC receptacle
- Towel bar
- Extraction fan
- Horizontal oval "Port Light" with framed valance and screen/shade

### Laundry

- Viking® 15" trash compactor
- Miele® W3033 washer
- Miele® T8003 dryer

### Interior Halls and Stairwells

- Interior cabinets and selected joinery finished in Sapele.
- Wool carpet flooring
- Majilite® ceiling and wall panels.
- All stairwell passageways to be equipped with wood or brushed stainless handrails
- Imtra LED ceiling down lights and floor lightings

### Main Helm Console

- Two Volvo® electronic engine controls
- Volvo® EVC panel
- Volvo® engine management panel (7" color)
- Volvo® joystick control
- Two Garmin® 8215 MFD touch screen (*see navigation electronics*)
- Garmin® GHC 10 Marine Autopilot Control Unit (*see navigation electronics*)
- iPlex/iPad vessel control panel
- Garmin® VHF 200 radio and Garmin® GHS 20 VHF remote (*see navigation electronics*)
- Humphree® trim tab control panel
- E-plex® switching panel (6 bank rockers)
- Compass

### Entertainment

- Bose® Lifestyle V35 entertainment system  
*System includes: Two zones (salon, cockpit/fly bridge); Pioneer Blu-ray disc player, RTiDock iPod docking station, three smart remotes, HDMI cables and CAT5 cable connections*
- XM satellite radio (wired into Bose®)
- **Salon:**
  - Sharp 42" HDTV D85U Series Aquos LCD TV(LC52D85U), recessed in port side salon cabinet
  - Apple TV with AirPlay
- **Master Stateroom:**
  - Sharp 42" HDTV Aquos LCD TV, (LC42LE700UN), wall mounted (separate Blu-ray disc player)
  - Apple TV with AirPlay
- **Guest Staterooms (x2):**
  - Sharp 32" Aquos LCD TV, wall mounted (One separate Blu-ray disc player, one Xbox)
  - Two iPod docking stations
  - Apple TV with AirPlay
- Iridium I4 Satellite TV Antenna
- Apple TV networked with main salon TV
- Apple Airport express networked with Bose Tuner

### Navigation Electronics and Communications

- Four Garmin® 8215 MFD with 15" touch screen display  
*Two at main helm and two at upper helm*
- Canadian and US charts pre-loaded with Blue Chart G2 (BC Coast)
- Garmin® GMR 604 x HD 48" (6kW) Open Array Digital Radar (72 NM)
- Garmin® AIS 600 transceiver
- Garmin® GPS 19x GPS sensor
- Garmin® GXM 51 XM weather
- Garmin® GSD 24 digital sounder module
- Garmin® GWS 10 wind sensor
- Airmar® thru hull transducer
- Three Garmin® GC 10 marine cameras. *One located in engine compartment and two under mounted to rear edge of hardtop looking aft.*
- Garmin® GHP 10V IPS autopilot with two GHC 10 Marine Autopilot Control Units. *Main and upper helm*
- Garmin® VHF 300 with Morad Antenna and GHS 20 wireless remote (*lower*) and GHS 10 wired remote (*upper*)
- Garmin® VHF 200 (*lower*) with Morad Antenna

### Lighting

- **Exterior aft deck, swim platform, boarding stairwells, side decks and foredeck settee:**
  - Imtra Viken LED courtesy lights (cool white)
  - Imtra Ventura LED down light (recessed) with dimming function (warm white)
- **Fly Bridge:**
  - Imtra Viken LED courtesy lights (cool white)
  - Imtra Ventura LED down light (recessed) with dimming function (warm white)

### Salon Cabin:

- Imtra Ventura LED down light (recessed) with three zone dimming functions (warm white)
- Alcove lighting (Imtra LED strip lighting)

### VIP Guest Cabin

- Imtra Ventura LED down light (recessed) with two zone dimming function (warm white)
- Cantalupi LED reading lights
- Alcove lighting (Imtra LED strip lighting)

### VIP Head and Shower

- Imtra Ventura LED down light (recessed) with dimming function

### Mid Guest Cabin

- Imtra Ventura LED down light (recessed) with two zone dimming function (warm white)
- Cantalupi LED reading lights
- Alcove lighting (Imtra LED strip lighting)

### Mid Guest Head and Shower

- Imtra Ventura LED down light (recessed) with dimming function

### Master Cabin

- Imtra Ventura LED down light (recessed) with dimming function
- Cantalupi LED reading lights – Master Head/Shower
- Imtra Ventura LED down light (recessed) with dimming function

### Companionway Halls and Laundry

- Imtra Ventura LED down light (recessed) with dimming function
- Imtra Andromeda G1 LED courtesy lights (deck level) (warm white)

### Engine Compartment and Mechanical Area

- Imtra F16 LED utility light
- All closets and large storage lockers to have LED lighting (hatch switching)

### Machinery and Systems

- Humphree Interceptor trim system (1050mm tabs) with two control panels comes with ATOS, BTOS and CTOS
- Beam built-in central vacuum with five outlets
- Spectra Newport 1000MK water maker with Z-ION System.
- Two Racor 1000MA (dual) fuel/water filters (Volvo® engines)
- Racor FG500 (dual) filters (generator)
- Central extraction fan system plumbed to vents in each Head (switched with programmable timer function)
- ESI "CFS-1000FRE" Fuel Polishing System (120v)
- Engine room workbench with stainless steel top, vise and Moduline (362436DU-07A-L) mechanics tool chest beneath.
- Reverso electric oil change pump plumbed to main engines and generators
- Delta Moisture Eliminator engine room air intake system with two 4" exhaust fans

### Water and Plumbing Systems

- Headhunter Mach5 domestic water pump (240v)
- Glendinning HoseMaster (7563LW, 1/2" hose x 75' long, manual/electric). Fresh water outlet located in transom locker with manual select manifold onboard/shore supply.
- Glendinning HoseMaster (Model S, 1/2" hose x 50' long, manual) located in bow locker
- Bilge Pumping
  - *Engine Compartment*: Two Rule 4000 GPH pumps with float switch to run in auto/manual mode
  - *Mid Cabin*: Rule 4000 GPH pump with float switch to run in auto/manual mode
  - *Forward Cabin*: Rule 4000 GPH pump with float switch to run in auto/manual mode
  - Manual Whale bilge pump (manifold system to discharge all three compartments)
- Three Dometic 8700 MasterFlush standard height toilets with 139 USG black water tank and discharge pump

### Tankage

- Two 665 US gallon (1330 US gallon total) aluminum fuel tank (integral) with pressure sender level indicator
- 220 US gallon stainless steel water tank with pressure sender
- 125 gallon holding tank with discharge pump
- 30 USG domestic hot water heater with AC heating sources

### Propulsion Machinery

- Twin Volvo® IPS1200 (D13-900 diesel engines with IPS3 drives)
- Two Volvo® engine management panels with 7" color screen.
- Four station Volvo® joystick controls located at main helm, upper helm, port and starboard cockpit stations
- Volvo® Dynamic Positioning System (DPS)
- Slow maneuvering option
- One additional Volvo® alternator (24v) 115 AMPS (total of three)
- Volvo® IPS Protective Anode kit
- Volvo® Clear Wake Exhaust
- Engine spare parts kit

### Generator Systems

- Onan 23 kW generator with sound enclosure.

### Electrical System(s)

- 24v DC to 12v DC Converter.

#### BATTERIES

- House batteries: Genasun Lithium-Ion 24v Cell (6 x 180AH = 1080 AH)
- Engine Batteries: (2 Bank) 24v AGM (Lifeline GRP31)
- Generator Batteries: (1 Bank) 24v AGM (Lifeline GRP24)

#### BATTERY CHARGER/INVERTER(S)

- Two Victron Quattro 24/8000/200-100/100 (8000 watt inverter)
- Victron Skylla TG 24/100 (1=1) 90-265 vac battery charger
- Pronautic 24/20P Battery Charger (engine start batteries)

### SHOREPOWER (240V/50A)

- Two 240V/50A shore power service
- Two Glendinning CM-7 CableMaster (Bow-75' and Stern-100')
- Charles Iso-Boost 50
- Charles 240v A/B switch
- Two 30A/125v male to 50A 125/250v female pigtail
- Two reverse Y 2 30A/125v male to 125/250v adapter
- Charles 30AMP isolation transformer
- Charles 120v A/B switch

### Multiplexing System

- E-plex® distributed power system with network switching and monitoring of all DC and AC systems. iPlex user interface.
- E-plex®/Watch Dog Onboard/Away Security System System includes owner interface via secure website. (monthly monitoring fees apply for monitoring services).

### Electrical Equipment (misc.)

- Three Speich windshield wiper motors with SS Pantographic arms and blades (multispeed with delay and self-parking)
- Windshield washer system
- Kahlenberg D-1 dual trumpet air horn
- ACR RCL-100D (white) remote searchlight (200,000 candlepower, 24v) with controls at both helm stations
- LED navigation lights and anchor light as per vessel requirements up to 50m.

### Alarms and Protective Equipment

- Three high water bilge alarms in engine, mid cabin and forward cabin bilge compartments
- Two high temperature resettable alarms in engine room
- Five carbon monoxide sensors with alarms
- Five smoke detector sensors with alarms
- Two fire suppression systems (auto/man) in engine room and electrical compartment with auto engine shut down
- E-plex®/Watchdog security system. *Provides onboard and away security which monitors: interior motion sensors; door and hatch sensors including engine hatch; dinghy tether and geo fence; battery voltage; shore power voltage; high water bilge alarms; and smoke detector.*
- CCG approved fire bucket and six 5lb handheld fire extinguishers
- Four Z4A hull zinc anodes

### Climate Control

- Cruisair® Pilothouse windshield defroster, two speed exchanger
- Dometic Cruisair® R-410A five zone air conditioning system with reverse heat controlled via E-plex® network
  - Salon: Two SQUF 27/410A 27,000 BTU
  - Master Stateroom and Head: STQ 18,000 BTU
  - VIP Stateroom and Head: STQ 10,000 BTU
  - Two Guest Staterooms and Head: STQ 10,000 BTU

## SPECIFICATIONS

---

### Davit System

- Steelhead ES1000 Davit Crane (Four function hydraulic crane) on pedestal mount
- Dinghy chocks (stainless steel pipe style with non-slip covering)

### Miscellaneous

- Eight Polyform G5 (black) boat fenders with sock and fender lines
- Two 5/8" x 10', four 5/8" x 20', and two 5/8" x 30' Samson mooring lines.
- Two life ring and throwing lines, teak flag staff and stainless steel deck socket
- Vessel owner's manual and systems drawing package
- Complete onboard tool kit and systems spares inventory
- Five days of vessel orientation and training

---

### Warranty

#### 10 YEAR LIMITED

Aluminum

#### 2 YEAR LIMITED

Deck hardware

Paint

Wood joinery

Upholstery

Machinery

Electrical

*All warranties are transferable*

*Coastal Craft reserves the right to modify the above described specification.*

*2015 specification issued February 2015.*



[www.coastalcraft.com](http://www.coastalcraft.com)